


PROXIMAL SOIL SENSING



In this issue . . .

- Special Issue of JEEG: TDEM
- SEG-AGU Hydrogeophysics Workshop
- Gamma Ray Soil Sensor
- SAGEEP's Silver Anniversary

. . . and more!



The Mole


**Now
Available**

Data Analysis Services for Local Engineering Companies

- ❑ Specialized in Multichannel Analysis of Surface Waves (MASW) (1-D, 2-D, and 3-D)
- ❑ New Method to Evaluate Wind Turbine Sites
- ❑ Fast and Efficient
- ❑ Ground Stiffness Evaluation
- ❑ Cheaper and More Robust than Drilling

www.ParkSeismic.com


www.MASW.com



Services Park Seismic Provides

Park Seismic provides a complete field survey and reporting service for seismic investigation of wind turbine sites in a flexible and prompt manner, ranging from the most basic 1-D analysis to a complete 3-D analysis depending on the site conditions and budget availability. Field surveys may be performed by a separate local engineering company according to instructions Park Seismic will provide and then subsequent data processing, interpretation and reporting will be performed at Park Seismic. Multiple-site surveys can take place in much a faster and more cost-effective manner than single-site surveys.

For more information, please contact Dr. Choon B. Park (choon@parkseismic.com, phone: 347-860-1223), or visit <http://www.parkseismic.com/WindTurbine.html>.



Park Seismic LLC
Shelton, CT 06484
Tel: 347-860-1223
Fax: 203-513-2056

contact@parkseismic.com

www.parkseismic.com

On the Cover

This issue features the development and application of geophysical techniques to proximal soil sensing. Cover image shows the raw soil reflectance map developed by Eric Lund.

What We Want From You

The **FastTIMES** editorial team welcomes contributions of any subject touching upon geophysics. The theme for our next issue will be the development and application of electroseismic techniques. **FastTIMES** also accepts photographs and brief non-commercial descriptions of new instruments with possible environmental or engineering applications, news from geophysical or earth-science societies, conference notices, and brief reports from recent conferences. Please submit your items to a member of the **FastTIMES** editorial team by May 21, 2012 to ensure inclusion in the next issue. We look forward to seeing your work in our pages.

Advertisers

Click on the entries to see the ad.

Advanced Geosciences Inc.....	40
Exploration Instruments	17
GEM Systems.....	3
Geometrics.....	7
Geonics	35
Geostuff	42
Interpex.....	44
KD Jones Instruments	40
Mount Sopris	21
Park Seismic	ii
R.T. Clark	44
R.T. Clark (PEG).....	42
Scintrex	25
Vista Clara	38
Zonge	42

Content

Click on the titles to read the article.

Calendar	4
----------------	---

Notes from EEGS.....	5
President's Message: 25 Years of Excellence	5
Renew your EEGS Membership for 2012.....	8
Sponsorship Opportunities	8
EEGS Announces Changes in Membership	9
From the FastTIMES Editorial Team.....	10

The JEEG Page.....	11
Contents of the March 2012 Issue	11
EAGE's Near Surface Geophysics Journal, February 2012	12

Success with Geophysics	13
Proximal Soil Sensing: Global Perspective.....	13
Gamma and Electro Magnetics	18
Sensing organic matter using the Veris® OpticMapper™	22
2D Resistivity Imaging of Faults	26

Opportunities.....	36
Special Issue of JEEG: Time-Domain Electromagnetics ..	36
Position for Geophysicist	37
SEG-AGU Hydrogeophysics Workshop.....	39
KSEG International Symposium.....	41

Industry News	43
The Mole: Gamma Ray Soil Sensor.....	43

Join EEGS Now!	45
----------------------	----

EEGS Corporate Members	49
------------------------------	----

EEGS Store	50
2012 Merchandise Order Form.....	52



FastTIMES (ISSN 1943-6505) is published by the Environmental and Engineering Geophysical Society (EEGS). It is available electronically (as a pdf document) from the EEGS website (www.eegs.org).

About EEGS

The Environmental and Engineering Geophysical Society (EEGS) is an applied scientific organization founded in 1992. Our mission:

"To promote the science of geophysics especially as it is applied to environmental and engineering problems; to foster common scientific interests of geophysicists and their colleagues in other related sciences and engineering; to maintain a high professional standing among its members; and to promote fellowship and cooperation among persons interested in the science."

We strive to accomplish our mission in many ways, including (1) holding the annual Symposium on the Application of Geophysics to Engineering and Environmental Problems (**SAGEEP**); (2) publishing the **Journal of Environmental & Engineering Geophysics (JEEG)**, a peer-reviewed journal devoted to near-surface geophysics; (3) publishing **FastTIMES**, a magazine for the near-surface community, and (4) maintaining relationships with other professional societies relevant to near-surface geophysics.

Joining EEGS

EEGS welcomes membership applications from individuals (including students) and businesses. Annual dues are currently \$90 for an individual membership, \$50 for a retired member, \$20 for a student membership, \$50 developing world membership, and \$650 to \$4000 for various levels of corporate membership. All membership categories include free online access to JEEG. The membership application is available at the back of this issue, or online at www.eegs.org. See the back page for more information.

Board of Directors

President

Mark Dunscomb, West Chester, PA
mdunscomb@schnebel-eng.com

President, Elect

Douglas Laymon, Austin, TX
doug.laymon@tetrattech.com

Vice President, SAGEEP

Melvin Best, Victoria, BC
best@islandnet.com

Vice President Elect, SAGEEP

Gregory S. Baker, Knoxville, TN
gbaker@tennessee.edu

Vice President, Committees

Barry J Allred, Columbus OH
allred.13@osu.edu

Vice President Elect, Committees

Laura Sherrod, Kutztown, PA
sherrod@kutztown.edu

Past President

John Stowell, Denver, CO
john.stowell@mountsopris.com

At-Large Board Members

Paul Bauman, Calgary, AB
paul.bauman@worleyparsons.com

Jutta Hager, Woburn, MA
jhager@hagergeoscience.com

Chih-Ping Lin, Hsinchu, Taiwan
cplin@mail.nctu.edu.tw

Moe Momayez, Tucson, AZ
moe.momayez@arizona.edu

Lee D. Slater, Newark, NJ
Lslater@andromeda.rutgers.edu

Dale Werkema, Las Vegas, NV
werkema.d@epa.gov

Business Office

1720 South Bellaire, Suite 110, Denver, Colorado 80222-4303; (303) 531-7517; 820-3844 fax; staff@eegs.org

Executive Director

Kathie A. Barstnar
staff@eegs.org

Managing Director

Jackie Jacoby
staff@eegs.org

EEGS Contributors

International Board Liaison

Micki Allen, Markham, ON
mickiallen@marac.com

General Chair, SAGEEP 2012

Moe Momayez, Tucson, AZ
moe.momayez@arizona.edu

Technical Chair, SAGEEP 2012

Gail Heath, Idaho Falls, ID
gail.heath@inl.gov

Editor, JEEG

Janet Simms, Vicksburg, MS
janet.e.simms@erdc.usace.army.mil

FastTIMES Submissions

To submit information for inclusion in **FastTIMES**, contact a member of the editorial team:

Editor in Chief

Moe Momayez
moe.momayez@arizona.edu
520.621.6580

Associate Editor

Barry Allred
allred.13@osu.edu
614.292.9806

Associate Editor

Jeffrey G. Paine
jeff.paine@beg.utexas.edu
512.471.1260

To advertise in **FastTIMES**, contact:

Jackie Jacoby
staff@eegs.org
303.531.7517

FastTIMES is published electronically four times a year. Please send articles to any member of the editorial team by November 21, 2011. Advertisements are due to Jackie Jacoby by November 21, 2011.

Unless otherwise noted, all material copyright 2011, Environmental and Engineering Geophysical Society. All rights reserved.

Exploring the World

Choosing the Right Magnetometer

Magnetic applications in near surface geophysics are broad: mineral exploration, archaeology, environmental & engineering, geological hazards, UXO detection. It is important to choose the right solution.

The Versatility of Overhauser

For general work and teaching the Overhauser instrument is ideal: low power consumption, 5 Hz sampling, no directional errors, optional sensitivity 0.015 nT @ 1 Hz. Overhauser is made for efficiency with its light weight, low power consumption, robust console and intelligent surveying options.

The Power of Potassium

For sensitive work and research the ultimate solution is the Potassium instrument. The K-Mag samples at a leading 20 Hz for acquisition of high resolution results, sensitivity 0.0007 nT/ $\sqrt{\text{Hz}}$ (70mm cell). It features minimal directional errors and high gradient tolerance for culturally "noisy" projects.

Find Your Solution


To work with diverse earth science challenges you can choose any of GEM's systems delivering clear benefits.

Web: www.gemsys.ca

Email: info@gemsys.ca

Phone: +1 905 752 2202

Our World is Magnetic.



Calendar

Please send event listings, corrections or omitted events to any member of the **FastTIMES** editorial team.

2012		August 21	Deadline for submission of articles, advertisements, and contributions to the September issue of <i>FastTIMES</i>
March 5-8	<u>DGG Meeting 2012 in Hamburg</u> 72nd annual meeting of the German Geophysical Society, celebrating its 90th anniversary, Hamburg, Germany	September 3-5	<u>18th European Meeting of Environmental and Engineering Geophysics of the Near Surface Geoscience Division of EAGE</u> , Paris, France
March 25-29	<u>25th Anniversary Symposium on the Application of Geophysics to Engineering and Environmental Problems (SAGEEP)</u> "Making Waves: Geophysical Innovations for a Thirsty World", Tucson, AZ	September 17-19	<u>Istanbul International Geophysical Conference</u> , Istanbul, Turkey
May 21	Deadline for submission of articles, advertisements, and contributions to the June issue of <i>FastTIMES</i>	September 23-26	<u>First EAGE Workshop on Dead Sea Sinkholes</u> : Causes, Effects and Solutions Hydrogeological Workshop on Dead Sea Sinkholes, Amman, Jordan
June 15~18	<u>5th International Conference on Environmental and Engineering Geophysics</u> , Changsha, China	November 21	Deadline for submission of articles, advertisements, and contributions to the December issue of <i>FastTIMES</i>
August 8-9	<u>Waterborne High Resolution Geophysical Techniques And Applications</u> , Rutland, UK		





President's Message: 25 Years of Excellence

Mark Dunscomb, President (mdunscomb@schnabel-eng.com)

Our annual conference, SAGEEP, will be held in Tucson, Arizona and will mark a silver anniversary. Twenty five years of steadfastly promoting near surface geophysics is something we all should be very proud of. It's in part due to the society's dedication to education. Learning has been a hallmark of EEGS since its inception and it's fundamental to our careers. It's also the application of that knowledge which keeps us excited about what we do. Geophysics provides a constant opportunity to learn new concepts and to expand what we know in new ways. This is what EEGS is all about.

Of course, SAGEEP is the most obvious center of information transfer for EEGS. There, you can find new technologies and approaches, other professionals who are willing to share their experiences, instrument designers explaining how they can help collect data in new ways and researchers who gladly share their newest findings.

However, SAGEEP is not our only source of education. Our publications are another obvious source of information. JEEG is the foremost journal on near-surface geophysics in the United States and provides an outlet for researchers to publish their work. FastTimes, EEGS' quarterly newsletter, is free to anyone who wants to download it from our web site and we get over 20,000 downloads per issue. EEGS also helps support the Early Career Award, given to professors that beginning their career in near surface geophysics, and subsidizes students who want to come to SAGEEP. Also, our joint cooperation committee with the SEG anticipates developing a program to reach out more effectively to students on behalf of the near surface community.

Check out the new EEGS website design that went on line this past year. If you haven't seen it or signed up for access, do so at www.eegs.org. The new platform provides us the ability to provide content in a secured environment and we are investigating ways to use it for education. For instance, one thought to consider is allowing those who attended SAGEEP to view presentations online that they missed at the conference. Another thought is to provide sponsored webinars or short courses via our website. The possibilities are only limited by our ideas and people to help enact them. If you are interested in helping manage or develop these ideas, contact Dr. Moe Momayez, the chair of our web committee.

I've found myself thinking about the 25th anniversary these past several months and wondering if those who organized the first SAGEEP in Chicago expected it would last this long, been as strong as it is, or would be still true to its roots. Did they anticipate the enormous changes in near surface geophysics over the past 25 years? What's ahead for the next 25 years? One thing is for sure, whatever we guess will probably not encapsulate it fully, but I can say confidently that education will remain a hallmark of the community. Here's to another 25 years!



EEGS Foundation makes great strides in its first years.

Since the launch of the EEGS Foundation, there are numerous accomplishments for which we can all be proud: Establishing and organizing a structure that serves the needs of EEGS; underwriting the legal process, achieving tax-exempt status; and soliciting and receiving support for SAGEEP. In addition, the Foundation helped underwrite the SAGEEP conference held this spring in Keystone.

These are only a few of the tangible results your donations to the Foundation have enabled. We would therefore like to recognize and gratefully thank the following individuals and companies for their generous contributions:

Allen, Micki
Arumugam, Devendran
Astin, Timothy
Baker, Gregory
Barkhouse, William
Barrow, Bruce
Billingsley, Patricia
Blackey, Mark
Brown, Bill
Butler, Dwain
Butler, Karl
Campbell, Kerry
Clark, John
Doll, William
Dunbar, John
Dunscornb, Mark
Greenhouse, John
Harry, Dennis
Holt, Jennifer
Ivanov, Julian
Jacobs, Rhonda
Kerry Campbell
Kimball, Mindy
Kruse, Sarah
LaBrecque, Douglas

Lecomte, Isabelle
Long, Leland
Lucius, Jeff
Luke, Barbara
MacInnes, Scott
Malkov, Mikhail
Markiewicz, Richard
Mills, Dennis
Momayez, Moe
Nazarian, Soheil
Nicholl, John
Nyquist, Jonathan
Paine, Jeffrey
Pullan, Susan
Rix, Glenn
Simms, Janet
Skokan, Catherine
Smith, Bruce
Soloyanis, Susan
Stowell, John
Strack, Kurt
Thompson, Michael
Tsoflias, George
Van Hollebeke, Philip
Yamanaka, Hiroaki

Adaptive Technical Solutions LLC
Corona Resources
Exploration Instruments LLC
Mt. Sopris Instruments

"Guiding Technologies Today -Preparing for a World of Needs Tomorrow"





Products you know, Results you trust

Sales & Rentals

Seismographs • Magnetometers • GeoElectrical Instruments

www.geometrics.com



GEOMETRICS

Innovation • Experience • Results

P: (408) 954-0522 • F: (408) 954-0902 • E: sales@geometrics.com
2190 Fortune Drive • San Jose, CA 95131 U.S.A.



Renew your EEGS Membership for 2012


Be sure to renew your EEGS membership for 2012! In addition to the more tangible member benefits (including the option of receiving a print or electronic subscription to ***JEEG***, ***FastTIMES*** delivered to your email box quarterly, discounts on EEGS publications and SAGEEP registration, and benefits from associated societies), your dues help support EEGS's major initiatives such as producing our annual meeting (SAGEEP), publishing ***JEEG***, making our publications available electronically, expanding the awareness of near-surface geophysics outside our discipline, and enhancing our web site to enable desired capabilities such as membership services, publication ordering, and search and delivery of SAGEEP papers. New this year is an opportunity to donate to the EEGS Foundation during the renewal process. Members can renew by mail, fax, or online at www.eegs.org.

Sponsorship Opportunities

There are always sponsorship opportunities available for government agencies, corporations, and individuals who wish to help support EEGS's activities. Specific opportunities include development and maintenance of an online system for accessing SAGEEP papers from the EEGS web site and support for the 2012 SAGEEP conference to be held in Tucson, Arizona. Contact Mark Dunscomb (mdunscomb@schnabel-eng.com) for more information.



Help Support EEGS!
Please Join or
Renew Your Membership
Today at www.eegs.org!



EEGS Announces Changes in Membership

It's time to renew your membership in EEGS – we've added options and increased benefits!

EEGS members, if you have not already received a call to renew your membership, you will – soon! There are a couple of changes of which you should be aware before renewing or joining.

Benefits - EEGS has worked hard to increase benefits without passing along big increase in dues. As a member, you receive a Symposium on the Application of Geophysics to Engineering and Environmental Problems (SAGEEP) registration discount big enough to cover your dues. You also receive the Journal of Environmental and Engineering Geophysics (JEEG), the *FastTIMES* newsletter, and full access to the EEGS research collection, which includes online access to all back issues of JEEG, SAGEEP proceedings, and SEG extended abstracts. You get all of this for less than what many societies charge for their journals alone.

Dues Changes - EEGS has worked hard to hold the line against dues increases resulting from inflation and higher costs. Instead, EEGS leadership sought ways to offer yesterday's rates in today's tough economic climate. Therefore, you can continue your EEGS membership without any rate increase if you opt to receive the JEEG in its electronic format, rather than a printed, mailed copy. Of course, you can continue to receive the printed JEEG if you prefer. The new rate for this membership category is modestly higher reflecting the higher production and mailing costs. A most exciting addition to EEGS membership choices is the new discounted rate for members from countries in the developing world. A growing membership is essential to our society's future, so EEGS is urging those of you doing business in these countries to please encourage those you meet to take advantage of this discounted membership category, which includes full access to the EEGS research collection. And, EEGS is pleased to announce the formation of a Retired category in response to members' requests.


Descriptions of all the new membership options are outlined on EEGS' web site (www.eegs.org) in the membership section.

Renew Online - Last year, many of you took advantage of our new online membership renewal (or joining EEGS) option. It is quick and easy, taking only a few moments of your time. Online membership and renewal application form is available at www.eegs.org (click on Membership and then on Online Member Application / Renewal).

EEGS Foundation - EEGS launched a non-profit foundation (www.eegsfoundation.org) that we hope will enable our society to promote near-surface geophysics to other professionals, develop educational materials, fund more student activities, and meet the increasing demand for EEGS programs while lessening our dependence on membership dues. A call for donations (tax deductible*) to this charitable organization is now included with your renewal materials and can be found on the online Member Resources page of EEGS' web site (www.eegs.org/pdf_files/eegs_foundation.pdf).

Member get a Member - Finally, since the best way to keep dues low without sacrificing benefits is to increase membership, please make it your New Year's resolution to recruit at least one new EEGS member. If every current member recruited even one new member to EEGS, we could actually consider lowering dues next year!

*As always, seek professional advice when claiming deductions on your tax return.



From the FastTIMES Editorial Team

FastTIMES is distributed as an electronic document (pdf) to all EEGS members, sent by web link to several related professional societies, and is available to all for download from the EEGS web site at <http://www.eegs.org/Publications/FASTTIMES/LatestIssue.aspx>. The most recent issue (December 2011, cover image at left) has been downloaded more than 13,000 times as of March 2012, and past issues of **FastTIMES** continually rank among the top downloads from the EEGS web site. Your articles, advertisements, and announcements receive a wide audience, both within and outside the geophysics community.

To keep the content of **FastTIMES** fresh, the editorial team strongly encourages submissions from researchers, instrument makers, software designers, practitioners, researchers, and consumers of geophysics—in short, everyone with an interest in near-surface geophysics, whether you are an EEGS member or not. We welcome short research articles or descriptions of geophysical successes and challenges, summaries of recent conferences, notices of upcoming events, descriptions of new hardware or software developments, professional opportunities, problems needing solutions, and advertisements for hardware, software, or staff positions.

The **FastTIMES** presence on the EEGS web site has been redesigned. At www.eegs.org/fasttimes, you'll now find calls for articles, author guidelines, current and past issues, and advertising information.



Help Support EEGS!
Please Join or
Renew Your Membership
Today at www.eegs.org!

The *JEEG* Page

The **Journal of Environmental & Engineering Geophysics (JEEG)**, published four times each year, is the EEGS peer-reviewed and Science Citation Index (SCI®)-listed journal dedicated to near-surface geophysics. It is available in print by subscription, and is one of a select group of journals available through GeoScienceWorld (www.geoscienceworld.org). **JEEG** is one of the major benefits of an EEGS membership. Information regarding preparing and submitting **JEEG** articles is available at <http://jeeg.allentrack.net>.

Contents of the March 2012 Issue



Journal of Environmental & Engineering Geophysics v. 17, no. 1, March 2012

Historical Development and Performance of Airborne Magnetic and EM Systems for Mapping and Detection of Unexploded Ordnance

William E Doll, T. Jeffrey Gamey, David T Bell, Les P Beard, Jacob R Sheehan, Jeannemarie Norton, J. Scott Holladay, and James L. C Lee

Discovery of a Large-scale Porphyry Molybdenum Deposit in Tibet through a Modified TEM Exploration Method

Guo Q Xue, Ke Z Qin, Xiu Li, Guang M Li, Zhi P Qi, and Nan N Zhou

Using Borehole Prospecting Technologies to Determine the Correlation between Fracture Properties and Hydraulic Conductivity

Hung-Chieh Lo, Po-Yi Chou, Shih-Meng Hsu, Chi-Hung Chao, and Chun-Te Wang

A Hardware Decoding Algorithm for Long-distance Transmission for Well Logging

Ping Cao, Ke-Zhu Song, and Jun-Feng Yang




Editor's Scratch

Dr. Janet E. Simms, **JEEG** Editor-in-Chief
US Army Engineer R&D Ctr.
3909 Halls Ferry Road
Vicksburg, MS 39180-6199
(601) 634-3493; 634-3453 fax
janet.e.simms@erdc.usace.army.mil

The **Journal of Environmental and Engineering Geophysics (JEEG)** is the flagship publication of the Environmental and Engineering Geophysical Society (EEGS). All topics related to geophysics are viable candidates for publication in **JEEG**, although its primary emphasis is on the theory and application of geophysical techniques for environmental, engineering, and mining applications. There is no page limit, and no page charges for the first ten journal pages of an article. The review process is relatively quick; articles are often published within a year of submission. Articles published in **JEEG** are available electronically through GeoScienceWorld and the SEG's Digital Library in the EEGS Research Collection. Manuscripts can be submitted online at www.eegs.org/jeeg/index.html.

EAGE's Near Surface Geophysics Journal, February 2012

As a courtesy to the European Association of Geoscientists and Engineers (EAGE) and the readers of **FastTIMES**, we reproduce the table of contents from the February issue of EAGE's **Near Surface Geophysics** journal.



EAGE
EUROPEAN
ASSOCIATION OF
GEOSCIENTISTS &
ENGINEERS

Near Surface Geophysics

Volume 10 · Number 1 · February 2012

Content

Special Issue on Archaeogeophysics: Recent and Advanced Application of GPR in Archaeological Prospection

Foreword

Processing stepped frequency continuous wave GPR systems to obtain maximum value from archaeological data sets
J. Sala and N. Linford

From pseudo-3D to full-resolution GPR imaging of a complex Roman site
A. Novo, H. Lorenzo, F.I. Rial and M. Solla

GPR prospecting of cylindrical structures in cultural heritage applications: a review of geometric issues
L. Nuzzo and T. Quarta

Ground-penetrating radar survey at the Roman town of Mariana (Corsica), complemented with fluxgate gradiometer data and old and recent excavation results
L. Verdonck, F. Vermeulen, C. Corsi and R. Docter

GPR investigation in different archaeological sites in Tuscany (Italy). Analysis and comparison of the obtained results
S. Piro and S. Campana

A multidisciplinary analysis of the Crypt of the Holy Spirit in Monopoli (southern Italy)
G. Leucci, N. Masini, R. Persico, G. Quarta and C. Dolce

The shrine of Edward the Confessor: a study in multi-frequency GPR investigation
E. Utsi

Ground-penetrating radar resolution in cultural heritage applications
V. Pérez-Gracia, R. González-Drigo and R. Sala

Instability analysis of the Villa Arianna site at Castellammare di Stabia (Naples)
L. Orlando

Biographies of the guest editors

www.nearsurfacegeophysics.org

NSG-exchanged ad Feb 2012.indd 1

08-02-12 16:23

Success with Geophysics

FastTIMES welcomes short articles on applications of geophysics to the near surface in many disciplines, including engineering and environmental problems, geology, soil science, hydrology, archaeology, and astronomy. In the articles that follow, the authors present examples of electrical sensing techniques to near surface investigations.

Proximal Soil Sensing: Global Perspective

V.I. Adamchuk¹, B.A. Allred², R.A. Viscarra Rossel³

(1) Bioresource Engineering Department, McGill University, Ste-Anne-de-Bellvue, QC, Canada

(2) USDA/ARS Soil Drainage Research Unit, Columbus, OH, USA

(3) CSIRO Land and Water, Bruce E. Butler Laboratory, Canberra, ACT, Australia

As a result of a number of naturally occurring processes and cultural practices, the characteristics of soils demonstrate substantial spatial heterogeneity that affects current land use. From infrastructure development to agriculture, spatial variability in soils must be taken into account in order to optimize on-going practices. To better understand this variability, remote and proximal soil sensing techniques have been developed. Although there are similarities, the two approaches provide different technical capabilities to obtain georeferenced data on many soil parameters at different scales and times.

While remote sensing is based on airborne and satellite platforms, **Proximal Soil Sensing** (PSS) is a set of technologies developed to measure the physical, chemical and biological properties of soil when placing the sensor in contact with, or at a proximal distance (less than 2 m) to, the soil being characterized (Viscarra Rossel et al., 2011). Unlike benchtop equipment, PSS instruments allow for a relatively large number of measurements to be obtained rapidly and at a relatively low cost. Currently developed sensing systems may be categorized by the manner in which they operate. They may be static or mobile, invasive or non-invasive, active or passive, and direct or indirect (Figure 1).

According to the mode of operation, most PSS systems can be deployed stationary, when they are placed at a fixed position for a relatively short period of time, or on-the-go, when measurements are gathered while the instrument is in motion. Furthermore, some measurements may not require mechanical interaction between the sensor and the soil (non-invasive), while other measurements are based on physical propagation of the instrument through the soil (in-situ), or even mechanical extraction of a soil sample (ex-situ). On the other hand, passive sensors rely on an ambient source of energy to quantify certain physical phenomena, and active sensors include their own source of such energy. Finally, and what is most remarkable, is that in a few instances, measured values can be directly related to a given soil property, while the majority of PSS systems provide measurements that can be correlated to a given set of soil properties indirectly.




Figure 1. Classification of Proximal Soil Sensing Systems (Viscarra Rossel et al., 2011).

Hummel et al. (1996), Sudduth et al. (1997), Adamchuk et al. (2004), and Shibusawa (2006) reviewed different types of sensors that have been used, or are under development. Viscarra Rossel et al. (2011) provided a review of PSS using the electromagnetic spectrum as the organizing framework. From this review, it follows that a large number of PSS systems are based on measuring the soil's ability to reflect or emit energy in different parts of the electromagnetic spectrum, ranging from gamma-rays and X-rays, to ultraviolet, visible, infrared, and even radio-waves. In addition, most widespread sensor systems rely on the ability of soil particles to conduct and accumulate an electrical charge. Also, several PSS instruments depend on quantifying the mechanical interaction between the sensor and soil as well as ion-selective potentiometry.

In particular, gamma rays are in the high-frequency range (10^{20} to 10^{24} Hz) with quantum energies between 124 keV and 1 MeV. They include active and passive gamma-ray spectrometry, Inelastic Neutron Scattering (INS), Thermalized Neutron Methods (TNM), Neutron Probes (NP), and Cosmic Ray Neutrons (CRN). At lower frequencies (10^{17} to 10^{20} Hz) and quantum energies between 124 eV and 124 keV, X-ray instruments have been developed that could be classified as 'hard' (short wavelength, high energy) or 'soft' (long wavelength, low energy). X-Ray Fluorescence (XRF) and X-Ray Diffraction (XRD) are examples of such tools.

Ultraviolet/visible/infrared measurement techniques provide a large array of alternatives. They are based on diffuse reflectance (or atomic emission) spectroscopy and offer soil measurements that are rapid, relatively inexpensive, safe, non-invasive and provide simultaneous measurements of multiple soil properties. The EM frequency range is from 10^{12} Hz (MIR) to 10^{15} Hz (UV). Optical techniques also include Laser Induced Breakdown Spectroscopy (LIBS).

The microwave region occurs in the EM spectrum at frequencies between 3×10^9 and 3×10^{11} Hz with quantum energies between approximately 12.4 μ eV and 12.4 meV. Although the research is limited, microwave PSS systems are typically based on soil emissivity or microwave attenuation changes under changing water content. On the other hand, radio waves cover the EM spectrum at frequencies less than 3×10^9 Hz and energies less than 12.4 μ eV. There are a large range of techniques used for PSS in this band that include: Time Domain Reflectometry (TDR), Frequency Domain Reflectometry (FDR), capacitance probes, Ground Penetrating Radar (GPR), Nuclear Magnetic Resonance (NMR), and, certainly, Electromagnetic Induction (EMI). Researchers in the area of agricultural geophysics have examined numerous applications of these techniques.

More direct, electrical resistivity methods also have become popular, while involving direct contact between sensor components and the soil (galvanic contact or capacitively coupled methods). Electrochemical methods are based on electrochemical sensors e.g. Ion Selective Electrodes (ISEs) and allow direct soil chemical measurements through a variety of techniques. Finally, mechanical techniques are based on the physical interaction between the sensor and soil, which include: soil strength sensors, penetrometers, acoustic, and pneumatic techniques.

Every soil-sensing technology has strengths and weaknesses and no single sensor can measure all soil properties. Table 1 indicates some of the most apparent direct and indirect relationships between soil attributes and PSS system measurements. In many instances, these relationships were found to be site-specific or stable over certain geographical regions.

Therefore, the selection of a complementary set of sensors to measure the required suite of soil properties has become the quest of different research projects around the world. Integrating multiple, proximal soil sensors in a single, multi-sensor platform can provide a number of operational benefits over single-sensor systems, such as: robust operational performance, increased confidence as independent measurements are made on the same soil, extended attribute coverage, and increased dimensionality of the measurement space (e.g., conceptually different sensors allow for an emphasis on different soil properties).

Table 1. Predictability of Main Soil Properties Using Different Soil Sensing Concepts (adapted from Viscarra Rossel et al., 2011)

Soil property ¹	Sensor type							
	Gamma-ray	X-ray	Optical	Microwave	Radio wave	Electrical	Electrochemical	Mechanistic
Chemical								
Total carbon	D	D	D					
Organic carbon	I		D					
Inorganic carbon	I		D					
Total nitrogen	D	D	D					
Nitrate-nitrogen			I		I	I	D	
Total Phosphorus	D	D	I					
Extractable phosphorus								
Total Potassium	D	D	D					
Extractable potassium			I				I	
Other major nutrients	D	D	D					
Micronutrients, elements	D	D	D					
Total Iron	D	D	D		I			
Iron oxides	I		D		I			
Heavy metals	D	D	I					
CEC	I		I			I		
Soil pH	I		I		D		D	
Buffering capacity and LR			I				I	
Salinity and sodicity					D	D	D	
Physical								
Color			D					
Water content	D		D	D	D	D		I
Soil matric potential	I					D		I
Particle size distribution	I		I		I	I		I
Clay minerals	I	D	D			I		I
Soil strength								D
Bulk density	I		I		D			I
Porosity								D
Rooting depth					I			D

¹ – soil properties directly (D) or indirectly (I) predictable using different types of proximal soil sensors

While sensor fusion and the integration of remote sensing and crop-based data have become the leading research trend, the nature of this type of exploration calls for an international and interdisciplinary approach. Therefore, an International Union of Soil Science workgroup on Proximal Soil Sensing (<http://proximalsoilsensing.org>) has emerged with two global workshops and a number of conference symposia held within the last four years. The goal of the group is to facilitate communication among soil scientists, engineers, geophysicists, agronomists and representatives of other disciplines to evolve and promote proximal soil sensing technology to improve our understanding of soil variability in space and time.

References

- Adamchuk, V.I. ; Hummel, J.W. ; Morgan, M.T. & Upadhyaya, S.K. (2004) On-the-go soil sensors for precision agriculture. *Computers and Electronics in Agriculture* 44: 71-91.
- Hummel, J.W., Gaultney, L.D. & Sudduth, K.A. (1996) Soil property sensing for site-specific crop management. *Computers and Electronics in Agriculture* 14: 121–136.
- Shibusawa, S. (2006) Soil sensors for precision agriculture. In: *Handbook of Precision Agriculture. Principles and Applications*, A. Srinivasan, ed., 57-90. Food Products Press, New York, New York, USA.
- Sudduth, K.A.; Hummel J.W. & Birrell, S.J. (1997) Sensors for site-specific management. In: *The State of Site-Specific Management for Agriculture*, F.T. Pierce and E.J. Sadler, eds., 183-210. ASA-CSSA-SSSA, Madison, Wisconsin, USA.
- Viscarra Rossel, R.A.; Adamchuk, V.A.; Sudduth, K.A.; McKenzie, N.J. & Lobsey, C. (2011) Proximal soil sensing: a spectrum of opportunities. *Advances in Agronomy* 113: 237-283.



Exploration Instruments

FOR RENT FOR SALE ABOUT US NEWS CONTACT US NEWSLETTER LINKS

Geophysical Equipment Rentals



Finn Michelson of Geosurvey Systems prepares a resistivity line in Equatorial Guinea




Dr. Essam Heggy of Lunar and Planetary Institute measures meteor crater in Egypt.

We're with you in the Extreme.



Lunar and Planetary students look for allegorical data at Craters of the Moon



Dr. Stephen Brown conducts radar measurements on Mt. Orizaba glacier, Mexico

APPLICATIONS

Underground Storage Tanks
Groundwater Prospecting
Unexploded Ordnance
Concrete Assessment
Archaeological Clearance
Dam Site Evaluation
Structural Evaluation
Bridge & Highway Surveys
Geological Mapping
Utility Locating
Building Site Assessment

INSTRUMENTATION

Ground Penetrating Radar
Seismographs
Magnetometers
Electromagnetics
Resistivity Imaging
Gravity Meters
Borehole Loggers
GPS
Borehole Cameras
Software
Soil Sampling

MANUFACTURERS

Geometrics
Geonics
GSSI
AGI
LaCoste and
Romberg
Schonstedt
Radio Detection
Trimble
Seistronix
Geostuff
Ludlum

2600 Longhorn Blvd. Suite 108 Austin, Texas
(512) 346-4042 Fax: (512) 832-5233 email: info@expins.com



Gamma and Electro Magnetism: A multi-sensor approach for the mapping of water related soil properties

E.H. Loonstra

The Soil Company, Leonard Springerlaan 9, 9727 KB Groningen, The Netherlands
loonstra@soilcompany.com

Abstract

For the mapping of subsoil water related soil properties a multi-sensor approach was chosen in order to obtain high resolution input for a decision support system. The gamma ray sensor the Mole was applied for top soil mapping, an EM38 for the mapping of soil profiles. Calibration of both sensor systems for the different soil layers went well in practice. Statistical analysis shows that both sensors provide independent data from top soil and subsoil. It is concluded that a multi-sensor approach is appropriate with soil conditions as described.

Introduction

In 2008 and 2009 two water related sensor projects were set up in the north-eastern part of the Netherlands. In these projects the local water board and land users worked together in setting up an integral decision support system (DSS) for water management in the area. The water levels are a constant issue for debate between the water board and farmers. Where the main concern of the farmers is the availability of water for their crops, the board has to take into account other issues, such as safety and wetness of nature. The aim of both projects was to bring the needs of both parties involved more in line. Two important objects of study were the appliance of real-time soil moisture probes and the use of high resolution digital soil information as input for the water models as applied by the board. The projects took place in an area of approximately 60.000 ha, mainly arable land for starch potato production. In this area 60 plots of 5 hectare each were chosen to be mapped by the soil sensor systems and water to be monitored by the probes. High resolution digital water related soil maps of the top soil and subsoil were required as input for the water models in the DSS. This was a novel approach, as the water board tends to focus on water in the substrata. The soil maps were used to pinpoint appropriate locations for the water probes. In this study 15 fields are selected for analysis.

Materials and Methods

The area lies south of the city Stadskanaal, with centre co-ordinates N 52.92, E 6.91. The soil type in this area can be characterised as humus sandy soils with a sandy top soil. It originates from a peat soil, but has been heavily cultivated since the 17th century. The result is that the top soil differs significantly from the subsoil in most cases, with parent material starting at 30 to 80 centimetres. Within the top soil the organic matter content can vary significantly over short distance. The gamma ray soil sensor the Mole was applied for the quantitative mapping of the top soil (Egmond et al, 2008) and the EM38 for the qualitative mapping of the subsoil soil profiles (Geonics). In a number of surveys both sensors were conducted in one run, both attached to the same vehicle as depicted below. In other cases the survey of the EM and gamma ray sensor was done in two separate runs. The sensors were moved with a speed of approximately 6 km/hr at tram lines of 15 meter. Data was logged every second, resulting in dense coverage of the fields. In addition, in all fields the compaction was mapped with a penetrometer in a 20 meter grid.

In each field 4 to 6 samples were taken from the top soil for calibration purposes of the gamma ray data. The soil properties organic matter, clay content (2 μm), loam content (50 μm) and grain size M50 were modeled by multi linear regression. This was done on a field scale or on a regional scale for similar soil types (Loonstra, 2008). The resulting soil maps were input for the mapping of continuous pedotransfer functions for water retention, field capacity and hydraulic saturated capacity (Wösten et al, 2001). For the calibration of the EM data, management zones were identified based on comparison of the collected EM38 and gamma ray data, and consequently soil profile samples were taken and described for each significant zone. The standard Dutch soil classification method (Stiboka) was applied for describing the soil profile characteristics. Examples of the soil maps are depicted below.



Figure 1. The gamma ray sensor the Mole in the lift of the tractor and the EM38 towed at the same time.




Figure 2. Organic matter content map of top soil and soil profile map of subsoil.

Results

The outcome of the soil samples of the 15 fields confirmed the expected variance of soil properties. The organic matter content is the property that differs greatly, also within fields, followed by variance in loam content. Grain size and clay content show little variation.

Table 1. Variance of top soil properties

	Organic matter	pH	clay	loam	Grain size
Minimum	3.7%	4.0	1.6%	6.5%	116 μm
Maximum	40.6%	5.6	8.0%	27.8%	144 μm
Average	12,2%	4.9	3.1%	12.8%	127 μm

The correlation of the top soil properties with the gamma ray nuclides can be qualified as good, with an R2 ranging between 0.7 and 0.9.

Table 2. Calibration models for top soil properties with radioactive nuclides

Soil property	Main nuclides	General model
Organic matter	^{137}Cs , ^{40}K	$\text{OM} = a + b \times \text{Cs} - c \times \text{K}$
pH	^{238}U	$\text{pH} = a + b \times \text{U}$
Clay content	^{232}Th	$\text{Clay} = a + b \times \text{Th}$
Loam content	^{232}Th , ^{238}U	$\text{Loam} = a + b \times (\text{Th} + \text{U})$

The calibration of EM data for soil profiles was done on a field scale. Again, 4 to 6 sample locations were identified, where soil profiles were described. In most cases it was possible to identify differences in soil type and layer thickness in line with the observed EM zones. However, as the final soil profile map is qualitative by nature the within-field boundaries remain arbitrary.

The suitability of the multi-sensor approach was analysed by comparison of the raw data of both sensors. The correlation between the radioactive elements and the EM38 data was examined for the 15 fields. No significant correlation was found between the output of both sensors for any of the fields. An overview of the outcome of the analysis is shown in the table below.

Table 3. Regression coefficient of Mole radioactive nuclides and EM38 data

R^2	$^{40}\text{K-EM}$	$^{238}\text{U-EM}$	$^{232}\text{Th-EM}$	$^{137}\text{Cs-EM}$	Total Counts-EM
Minimum	0.001	0.000	0.000	0.000	0.000
Maximum	0.158	0.230	0.169	0.163	0.314
Average	0.035	0.045	0.023	0.030	0.073

The final high resolution soil maps from both sensors were constructed with a 5m grid size. This meets the needs of the water models that are based on 20m grid data or larger. The level of detail of the soil maps was also suitable for the models. The presented classes were finer compared to the classes used in the water models.

Conclusion

This study shows that a multi-sensor approach can be useful in mapping soil properties for the complete subsoil. Under the described circumstances where top soil differs in composition from the subsoil, gamma ray and EM sensors will provide differentiated sets of data that can be calibrated individually for the purpose of soil mapping. Calibration of gamma ray nuclides can be performed on a field for chemical properties and on a regional scale for physical soil properties from the same soil type. The calibration of EM data was conducted on a field scale, although it is believed that a regional approach could have been applicable as well. The high resolution maps from both sensors have sufficient detail to serve as input for the water models in the DSS.


References

Egmond van, F.M., Loonstra, E.H., Limburg, J., 2008. Gamma-ray sensor for topsoil mapping: The Mole. 1st Global workshop on High Resolution Digital Soil Sensing & Mapping, 5-8 February 2008, Sydney Australia.

Geonics, manual EM38.

Loonstra E.H., 2008. A Mole collecting fingerprints: a gamma ray sensor for measuring physical properties of top soil. IAMFE 2008, Aarhus. Denmark.


Wösten, J.H.M., Veerman, G.J., Groot de, W.J.M., and Stolte, J., 2001. Waterretentie- en doorlatendheidskarakteristieken van boven- en ondergronden in Nederland: de Staringreeks. Alterra.



BOREHOLE GEOPHYSICAL LOGGING SYSTEMS



MATRIX PORTABLE LOGGER



BOREHOLE IMAGERY

- Acoustic Televiwer
- Optical Televiwer
- Casing Thickness/Inspection

BOREHOLE RADIOMETRICS

- Lithology
- In-situ Uranium Content

PHYSICAL PROPERTIES

- Density
- Neutron
- Resistivity/Induction/IP
- Permeability/Porosity
- Mag. Susceptibility

MULTI-FREQUENCY SONIC

- Rock Integrity
- CBL

FLUID FLOW

- Heat Pulse Flow Meter
- Spinner Flow Meter

FLUID QUALITY

- FEC, pH, DO, Redox, CO₂, NO₃

MOUNT SOPRIS INSTRUMENT COMPANY, INC.

4975 E. 41ST AVENUE * DENVER, CO * 80216 * PH: 303.279.3211 * FX: 303.279.2730

EMAIL: SALES@MOUNTSOPRIS.COM * WEB: WWW.MOUNTSOPRIS.COM

Proximal sensing of soil organic matter using the Veris® OpticMapper™

Eric D. Lund

Veris Technologies, Inc. Salina KS USA

lund@veristech.com

Abstract

Soil organic matter (OM) affects productivity and input usage in most crop production systems. Veris Technologies recently introduced a proximal optical sensor which measures soil reflectance in two wavelengths, and allows calibrations of the sensor with lab-measured OM. Used in conjunction with ancillary proximal sensors, including Veris soil electrical conductivity (EC) modules, the OpticMapper generates maps which provide additional details compared to government soil surveys and EC maps. Results from multi-field studies in several States show that OpticMapper readings correlate well with laboratory-measured OM, even in fields containing relatively low OM.

Introduction

Variations in soil properties can be detected, even with the human eye, based on differences in light reflectance. Darker soils contain higher levels of moisture or organic matter than light-colored soils. While this can be detected visually, light sensors in the visible and near infrared (Vis-NIR), can quantify the reflectance characteristics and provide the data for calibrating soil properties. Soil reflectance has been studied extensively since the 1970's and is widely reported in the scientific literature as an effective means for approximating soil organic matter (Sudduth et al., 1993). Organic matter is an important factor in crop growth, as it affects soil moisture infiltration and retention, soil tilth, rooting depth, soil-applied herbicide activity, nitrogen release, and other aspects of nutrient cycling (Bauer & Black, 1994). A precise map of organic matter would provide growers with important information as they seek to vary nitrogen, seed population, herbicides, and other inputs.

Veris Technologies began development of soil optical devices in 2002 and has patents pending on commercialized Vis-NIR spectrophotometer systems for mapping soil (Christy et al., 2003). The level of technology inherent in a spectrophotometer may be required in soil research, and where carbon measurements require an extremely high level of precision, but are not practical for grower and consultant use due to expense and complexity. Veris Technologies has leveraged its expertise from the higher-end systems in developing a two wavelength device, the OpticMapper, which has been commercially available since late 2010. The objective of this study was to evaluate the performance of the OpticMapper™ and soil EC sensing based on: 1) optical sensor repeatability, 2) correlation with lab-analyzed OM, and 3) utility of optical sensor versus EC-only measurements.

Materials and Methods

Soil optical and electrical conductivity (EC) data were collected with an implement designed and commercialized for the purpose of mapping with multiple soil sensors (Figure 1). The implement contains six coulter electrodes for EC measurements, and a specially-configured row unit for optical measurements. The optical module is mounted between two disks which operate at a slight angle, forming a V-shaped slot in the soil. A depth-gauging side wheel for each disk controls sensing depth. The row unit has a parallel linkage to follow ground undulations and adjustable down-force to match soil conditions. The optical module contains a light source and

detector, collecting measurements in the red and near-infrared wavelengths through a sapphire window. The wear-plate with window is pressed against the bottom of the slot and the consistent pressure provides a self-cleaning function. Measurements were collected approximately 4 cm below the soil surface. The complete electronics package includes signal conditioning, A/D conversion, data logging and a GPS to geo-reference all data. Data were collected at a 1 hz rate on 15-20 m transects with typical field speed of 10-15 km/hr. Approximately 150-200 EC and optical data points per/ha were collected.




Figure 1. Veris OpticMapper with Soil EC and Optical Sensors.

The project covered more than 570 ha on 20 fields in 7 U.S. states, providing a wide range of soil types, conditions, and organic matter levels. From these fields, 195 geo-referenced soil samples were analyzed for organic matter. A combination of wet digestion and dry combustion methods were used. These samples were a composite of a minimum of six 0-15 cm deep cores collected within a 10 m radius. The sensor data was queried to select values within a 5 m radius of the sample location centroid. Multi-variate regression (MVR) techniques were applied to the data set using optical, EC, and topography components. This process generated estimates of organic matter, and a leave-one-out cross-validation was used to select the optimal sensor combination.

Results

Sensor repeatability was evaluated by mapping fields at different time intervals, where soil moisture and tillage conditions had changed from previous mapping. Results showed that while absolute reflectance changed with soil conditions, the relative values and zone delineation were highly repeatable (Figure 2).

Results from cross-validation showed strong correlation between sensor-estimated and laboratory analyzed organic matter (Table 1). The root-mean-square errors (RMSE) were less than 0.35% OM in all but Ohio, where the standard deviation of OM was the highest at 1.57. The ratio of prediction to deviation (RPD) was greater than 1.5 on all




Figure 2. Raw sensor data from field mapped N-S on August 28, 2010 and E-W on September 7, 2010.

sites, with all but two sites above 2. Sensor-estimated OM maps exhibit strong spatial structure and visual correlation to lab-analyzed soil OM (Figure 3).

Table 1. Organic matter lab analyses and relationships with sensor-estimated OM

State	N	ha	# of flds	Std. dev.	Ave. OM %	OM % Range	R ²	RMSE	RPD
Kansas	24	132	4	0.54	2.3	1.6-3.5	0.93	0.14	3.86
Missouri	50	89	3	0.55	2.4	1.0-3.5	0.71	0.30	1.83
Iowa	41	65	2	0.51	4.3	3.4-5.5	0.57	0.33	1.55
Illinois	42	172	5	1.06	2.5	.4-5.1	0.95	0.23	4.61
Michigan	11	61	1	0.64	3.0	1.7-4.5	0.91	0.27	3.41
Ohio	13	85	3	1.57	2.8	1.3-6.9	0.85	0.59	2.66
Alabama	14	95	2	0.72	1.7	.9-3.5	0.79	0.32	2.25

One of the many properties that EC maps have been found to relate to indirectly is organic matter (Jaynes et al., 1994). This is likely due in part to spatial autocorrelation between soil texture and OM; for example, very sandy soils typically have low OM levels. To help determine whether optical sensing offers any additional utility to EC mapping, the relationship between EC and optical measurements was examined. The best correlation found was between EC shallow and the red wavelength, however that relationship was generally not strong, with an average of 0.33 R². Only three of the 20 fields showed a relationship greater than 0.60 R².

Conclusion

OpticMapper sensor measurements were reproducible and highly correlated with lab-analyzed OM. On most fields, optical and EC measurements were independent. The optical sensor represents an important addition to the proximal sensing options for improved soil mapping.

References

- Bauer, A., A.L. Black. 1994. Quantification of the effect of soil organic matter content on soil productivity. Soil Science Society of America Journal. v. 58(1) p. 185-193.
- Christy, C.D., P. Drummond, D.A Laird. 2003. An on-the-go spectral reflectance sensor for soil. Paper No.03-1044, ASAE, St.Joseph, Michigan.
- Jaynes, D.B., J.M. Novak, T.B. Moorman, C.A. Cambardella. 1994. Estimating Herbicide Partition Coefficients from Electromagnetic Induction Measurements. Journal of Environmental Quality, 24, 36-41.
- Sudduth, K. A. and J. W. Hummel. 1993. Soil Organic-Matter, CEC, and Moisture Sensing With a Portable NIR Spectrophotometer. Transactions of the ASAE, 36(6): 1571-1582.




Figure 3. Laboratory analyzed soil sample results overlaid on Veris OpticMapper map.

ENVI Cs Navigational Mag



Next Advancement in Magnetometers
High Sensitivity made more Affordable
Rugged and Versatile

LPS-1 Long Period Seismometer



Borehole Gravity Surveys



222 Snidercroft Road, Concord, ON, Canada, L4K 2K1
Telephone: +1 905 669 2280 Fax: +1 905.669 6403
e-mail: scintrex@scintrexltd.com www.scintrexltd.com

2D Resistivity Imaging Investigation of Long Point, Katy-Hockley, Tomball and Pearland Faults, Houston, Texas

Mustafa Saribudak

Environmental Geophysics Associates, Austin, TX, USA
ega@pdq.net

Abstract

Active growth faults cutting the land surface in the Gulf Coast area may represent a serious geo-hazard. Although the average movement of these faults is only a few inches per decade, the potential exists for structural damage to highways, industrial buildings, residential houses and railroads that cross these features. We have conducted 2D resistivity imaging surveys at two sites over two known locations of Long Point fault (Moorehead at Westview, and NW section of east Beltway 8 and I-10 intersections) in the southwest part of Houston, Texas; Katy-Hockley and Tomball faults are located in the northwest part, and the Pearland fault in the southeast part of the Houston area. Results of 2D resistivity surveys on four faults in the Houston area have identified resistivity anomalies that can be used to locate the faults, determine the extent of near-surface deformation, and provide geological information.

Introduction



The Houston area has a very active shallow fault system as evidenced by active surface movement and measurable localized subsidence (Verbeek, R., E. & Clanton S. U., 1981). Evidence of faulting is visible from structural damage such as fractures and/or displacement. Faults are listric growth faults with dominantly dip-slip (normal) displacement to the south, although antithetic faults are present that dip to the north. In the near surface, fault dip is usually 60 to 75 degrees. Some active faults are clearly evident in surface damage such as scarps across lots, fields and streets. Vertical offset is commonly the most visible aspect of fault movement. Because the near-surface dip of the faults is usually 60 to 75 degrees, horizontal extension equivalent to one-half to one-fourth of vertical component of movement takes place. This movement tends to pull the subsurface material apart (Elsbury et al., 1980). Today, active faults are the source of heavy damage to pavements, utilities, homes businesses, and other man-made structures in the Gulf Coast region. In the Houston area alone (Harris County), there are more than 300 active or potentially active faults totaling over 300 miles in length. These active faults are not discrete ruptures. Rather, they are zones of intensely sheared ground tens of meters wide (Clanton, S. U., and Verbeek, R.E., 1981).

One of the most significant faults of the Houston area is the Long Point Fault, which runs from near US 290, west-southwest through the Beltway/I-10 Interchange to near Eldridge Parkway in west Houston, a distance of about 11 miles (Figure 1). It is a typical Gulf Coast growth fault that moves (creeps) slowly about 1/4 to 1 inch per year crossing through many neighborhoods and deforming many residential and commercial buildings. The fault plane dips about 70-degrees from the horizontal toward the coast (southeast).

This paper presents the resistivity imaging data along with observations made on the surface deformation of the Long Point Fault at Moorehead and Westview, and Beltway 8 and I-10 intersections, Katy-Hockley and Tomball Faults in the northwestern part of the Harris County, and Pearland Fault in the southeast of metropolitan Houston area (Figure 1).

Resistivity Technique

Resistivity imaging is a surface geophysical technique, which is used to build define the electrical properties of the subsurface by passing an electrical current along electrodes and measuring the associated voltages. This technique has been used widely in determining plumes, karst features, such as voids, and subsurface structures, such as faults and fractures (Dahlin, 1996, Seaton and Dean, 2004, Saribudak, 2010). For this study, we used the Advanced Geoscience Inc's (AGI) Super R1 Sting/Swift resistivity meter with dipole-dipole resistivity technique, which is sensitive to horizontal changes in the subsurface, and provides a 2-D electrical image of the near-surface geology..




Field Data Collection and Processing

We collected resistivity data over Long Point fault at two locations: along Moorehead street near Westview Road, and at a location near Beltway 8 and I-10 intersection (see Figure 1). During the field survey at the first location, we sketched the cracks and patched pavement locations and/or fences deformed by the fault (Figures

Figure 3.

Long Point fault scarp across Moorehead Street. Note the fault related deformation on the concrete path for pedestrians.



2). At the Moorehead Street location a discrete fault scarp deforms the road, curbs and sidewalks (Figure 3). Figure 4a shows the approximate location of the Beltway 8 and I-10 study area, where the fault clearly deforms the fence, respectively (Figure 4b and Figure 5).

We conducted resistivity surveys over Katy-Hockley fault in the year 2005. For the Tomball fault, we were hired in the year of 2006, and for the Pearland fault in 2007.

We inverted the resistivity data into geoelectric sections using AGI's Earth Imager software. The resistivity values obtained in this study varied between 2 and 2000 Ω -m. Resistivity values, in general, between 1 and 10 Ω -m corresponds to clay; resistivity values between 10 and 25 Ω -m represent clayey sand, silty clay, sandy clay; and 25 Ω -m and above fine sand deposits (Kress and Teeple, 2005). Following color scales for 2D resistivity sections were used: high resistivity (low conductivity) is displayed in red color whereas low resistivity (high conductivity) is represented by blue color. The background resistivity values are shown with the green color.

Definition of Resistivity Anomaly

Definition of a geophysical anomaly is defined as a deviation from uniformity in physical properties (Sheriff, 1994; p.10). The resistivity method is used to detect changes in the electrical properties of the subsurface. The electrical properties of soils and rocks are determined by water content, mineralogical clay content, salt content, porosity, and the presence of metallic materials. Thus the resistivity anomaly can also be defined as any changes



Figure 4.

a) Location of Beltway 8 and I-10 resistivity profile; b) a photo taking in 2006 shows the west wall of the excavated pit for the development of the water detention pond (picture is revised from Britt, P. 2006). Note the location of the resistivity line.

in the soil properties mentioned above. In general, in the absence of tectonic activity, the soil layers should present horizontal layers in the Gulf Coast region. In the case of a growth fault, the different soil layers are juxtaposed within the fault zone. We attempted to model such a growth fault. Figure 6A indicates the synthetic model showing the silt, sand and clay layers displaced along the fault with a 30 feet vertical offset. Figure 6B and C show the inverted resistivity and synthetic apparent resistivity section, respectively. Figure 6B displays the fault movement and the thickening the soil layers on the downthrown side.




Figure 5.

A picture taken in 2011 shows the resistivity line with respect to the west wall of the detention pond, which is fenced, and the fence break-line indicates the fault location.




Figure 6. Sections showing (A) a synthetic fault model, and (B) resistivity inversion result of fault model within sand and clayey soils.

Resistivity Imaging of Long Point Fault

1) At Moorehead Street and Westview Road

The resistivity data collected along the Moorehead Street is shown in Figure 7. A fence-line break and the driveway of a nearby house are given for references. The fault juxtaposes low resistivity soil layers (clay as

displayed by the blue) against moderately resistive units (sand as displayed by the green color). The Long Point fault location observed at the site is superimposed on the resistivity imaging data, which shows south-dipping clay layers on the south part of the fault trace. The northwest part of this anomaly is limited by a high resistivity layer shown by the red color.

2) At East Beltway 8 and Interstate I-10

Resistivity data collected over the fault show south-dipping clay layers in the south part of the Long Point fault (Figure 8), which juxtaposes low resistivity soil (clay as displayed by the blue color) against moderately resistive units (sand as displayed by the green color).




Figure 7. Resistivity imaging data taken along Moorehead Street across the Long Point fault.




Figure 8. Resistivity imaging across Long Point fault. Note the south-dipping clay layers in the downthrown side.

Katy-Hockley Fault

The E-W striking and south-dipping Katy-Hockley fault crosses Katy-Hockley Road 2235 feet to the north of the intersection of Jack and Katy-Hockley Roads. There was no deformation observed on the road because the road was built newly prior to the resistivity survey. The resistivity data collected across the fault (Figure 9) indicate a thickening of the clay and sand units on the downthrown side of this growth fault.




Figure 9. Resistivity imaging data taken across the Katy-Hockley fault. Note the south-dipping sand layers and thickening clay layers in the downthrown side.

Tomball Fault

The Tomball fault is one of the major regional faults of the Houston area, and is located in Tomball City. The fault strikes in the east-west and crosses SH 249. Further east, it runs through Beckendorf Middle School, which is located between Sandy Lane and Quinn Road (Figure 10). The fault deformed and damaged the west entrance of the school extensively. Because of the destruction of the property, the school was closed permanently in 2009.

A line of resistivity data (Figure 11) was collected across the fault in the western part of the school area. The resistivity data is shown in Figure 11, which also shows the sketches of the school and deformation zone schematically. Available borehole data from the site indicates caliche. The resistivity data indicates a significant deformation




Figure 10. Beckendorf Middle School site map showing the Tomball fault line and location of the resistivity profile.




Figure 11. Resistivity imaging data taken across the Tomball fault at the western side of the Beckendorf Middle School. Note the significant deformation within the fault zone defined by the resistivity data, and thickening sand layers in the downthrown side of the fault.

zone between stations 50 and 130 feet, in which sand layers are displaced upwards and downwards. Away from the fault zone, the sand layers are horizontal. We observed major cracks on the wall of the school corresponding to the resistivity anomalies.

Pearland Fault

A blind test of the technique was conducted in the winter of 2007; we were asked us to perform a resistivity survey over the Pearland fault. Two resistivity profiles 10 feet apart were run across the fault for data redundancy (Figure 12).

Results of both profiles are shown in Figure 13. Data from the 4 boreholes were used to project the surface location of the fault (at about 260 ft) along the profiles; the fault dips about 70° to the SW. Both resistivity profiles indicate a low resistivity area between stations at 220 and 320 feet. The resistivity for this anomaly varies between 5 and 10 Ω -m, which is indicative of clay. This low resistivity zone was interpreted to be a fault zone anomaly prior to any knowledge on the exact location of the fault. Note the approximate correlation of the fault location based on the borehole data (station 260 feet) and the resistivity data (between stations 220 and 320 feet).



Figure 12. A picture, looking SW, showing the location of resistivity line 1 across Pearland fault.




Figure 13.

Two resistivity imaging data sets taken across the Pearland fault. The fault location was not known prior to the resistivity surveys. Location of the fault is based on the four borehole data, and is projected onto the resistivity data.

Discussion

Three of these faults discussed in this paper (Long Point, Tomball and Katy-Hockley) are well known in terms of their locations and their extent. Resistivity anomalies across these faults appear to manifest themselves as south-dipping clay and/or sand layers, and significantly deformed sand and/or clay layers. It is important to

point out that these anomalies are only restricted where the resistivity profiles cross the faults. Away from the faults, the resistivity data indicate, more or less, horizontal strata without any significant deformation.

The resistivity data in the Pearland area was obtained without knowing the exact location of the fault. We interpreted the abrupt termination of horizontal continuous sand and silty sand layers and the south-dipping clay layers between them along the two separate resistivity sections as anomalous and related to the location of the Pearland fault.

Previous resistivity results of by Saribudak and van Nieuwenhuise (2006), and Saribudak (2011) indicated similar anomalies across the Willow Creek and Hockley faults, respectively. In a similar study, Kress and Teeple (2005) obtained resistivity profiles coupled with borehole data across the Pecore fault in Houston (Figure 1). Their results (Figure 14) indicate discontinuous sand pockets and normally-displaced clay layers across the fault.




Figure 14. Resistivity profile showing the resistivity data across the Pecore fault (modified from Kress and Teeple, 2005).

In conclusion, data acquired across the known growth faults in the Houston area indicate a variety of anomalies associated with the faulting. These and previously published results indicate that the resistivity technique offer a viable method for detecting and mapping growth faults in the Houston area.


Acknowledgement

I am thankful to Bill Rizer and Dave Kress for their instructive and critical editing of the manuscript.

References

- Britt, P., Long Point Fault exposure at the west wall of water detention pond, 2006, Houston Geological Society Bulletin, March issue, p.11.
- Clanton, S. U., and Verbeek, R.E., Photographic portraits of active faults in the Houston metropolitan area, Texas, Houston area environmental geology: Surface faulting, ground subsidence, hazard liability, edited by Etter, M.E., Houston Geological Society, 1981, p. 70-113.
- Dahlin, T., 1996., 2D resistivity surveying for environmental and engineering applications, First Break, V. 15, pp. 275-283.
- Elsbury, B. R., D. C. Van Siclen, and B. P. Marshall, 1980, Engineer-ing aspects of the Houston fault problem: ASCE Fall Meeting.
- Engelkemeir, R. and Khan, S., Lidar mapping of faults in Houston, Texas, 2008, Geosphere, February 1; P. 170-182.

- Kress, H. W. and Teeple, P.A, Two-dimensional resistivity investigation of the north Cavalcade Street site, Houston, Texas, 2003, USGS Scientific Investigation Report 2005-5205.
- Saribudak, M., Van Nieuwenhuise., Integrated geophysical studies over an active growth fault in Houston, 2006, *Leading Edge*, v. 25; no. 3; p. 332-334.
- Saribudak, M., 2010, Urban Geophysics: A mapping of Mount Bonnell Fault and its karstic features in Austin, Texas, 2010 SAGEEP Proceedings International Convention, Keystone, CO.
- Saribudak, M., Geophysical mapping of the Hockley growth fault in northwest Houston, USA, and recent surface observations, 2011, *Leading Edge*, v. 30; no. 2; p. 172-180.
- Seaton, J.W. and Dean, T., 2004, Engineering site characterization with resistivity surveys, North American Society for Trenchless Technology (NASTT), New Orleans, LA.
- Sheriff, R.E., *Encyclopedic Dictionary of Exploration Geophysics*, 1994, Third Edition, SEG Geophysical References Series 1.
- Verbeek R.E., and Clanton, S.U., Historically active faults in the Houston metropolitan area, Texas, *Houston area environmental geology: Surface faulting, ground subsidence, hazard liability*, edited by Etter, M.E., Houston Geological Society, 1981, p. 28-69.





*Geological Mapping
Archaeological Investigation
Groundwater Exploration
Site Characterization
Contaminant Detection
Metal/Ordnance Detection*

Geophysical Instrumentation for Engineering and the Environment

Electromagnetic (EM) geophysical methods provide a simple, non-destructive means of investigating the subsurface for an understanding of both natural geologic features and man-made hazards, including bedrock fractures, groundwater contamination, buried waste and buried metal.

An advance knowledge of subsurface conditions and associated hazard potential allows for the design of remediation and monitoring programs that are more efficient and, as a result, more cost-effective.

Simple and non-destructive. Efficient and cost-effective.



GEONICS LIMITED

8-1745 Meyerside Dr., Mississauga
Ontario, Canada L5T 1C6
Phone: 905 670 9580
Fax: 905 670 9204
Email: geonics@geonics.com
www.geonics.com



Special Issue of JEEG: Time-Domain Electromagnetics

CALL FOR PAPERS

The Journal of Environmental and Engineering Geophysics (JEEG) announces a Call for Papers for a special issue on Time Domain Electromagnetics. This issue is scheduled for publication in March 2014.

The special issue editor is Antonio Menghini, Aarhus Geophysics, Denmark. Sponsorship of this issue is still open.

The main themes will focused on:

- New developments in equipment
- Data acquisition, modeling, and inversion
- Case histories, including:
 - hydrogeology (fresh-water detection, seawater encroachment)
 - engineering (sinkholes, slope stability, rock fracturing)
 - environment (leachate and pollutants detection, waste disposal, UXO detection, permafrost study)
 - exploration (oil and mining)
- Airborne Time Domain EM

International contributions are encouraged. The special issue will accommodate eight papers, but all accepted papers will be considered for publication in other JEEG issues.

Papers may be submitted through the JEEG submission site, <http://jeeg.allentrack.net>. Indicate in the cover letter that the paper is for consideration in the TDEM special issue. The deadline for submissions is February 28th, 2013.

Questions may be directed to:

Special Issue Editor—Antonio Menghini, am@aarhusgeo.com

JEEG Editor—Janet Simms, Janet.E.Simms@usace.army.mil





SEEKING OUTSTANDING CANDIDATES FOR STAFF GEOPHYSICIST

MUNDELL & ASSOCIATES, INC. (MUNDELL), a small, dynamic, Indianapolis-based earth and environmental consulting firm, is seeking an outstanding candidate to fill the position of **STAFF GEOPHYSICIST**. The ideal candidate should have a B.S. degree in a scientific or engineering earth science-related discipline with graduate course work in geophysics from an accredited university. Typical projects involve subsurface geological, hydrogeological, and environmental characterization studies, water resources exploration, groundwater flow pathway mapping, karst studies, mineral mapping studies, and engineering applications.

Desirable skills include: excellent familiarity with field data collection and mapping methods (knowledge of Geonics, AGI, and Sensors and Software equipment is a plus), analytical and numerical geophysical analysis techniques and modeling, geophysical instrumentation troubleshooting and survey completion, quantitative and statistical analysis, data visualization (experience using Surfer and AutoCad is most desirable), and good oral and written communication. Familiarity with and coursework applied to near-surface environmental and engineering applications of electromagnetics, resistivity, seismic, and gravity methods is desirable. The candidate must demonstrate a proven ability to work independently, organize and manage multiple tasks and project assignments, handle difficult field data collection and survey conditions, and maintain excellent relationships with a multi-disciplinary staff.

WHO ARE WE?

A small firm (currently about 20 people) established in 1995, MUNDELL provides consulting services to small to medium commercial companies, Fortune 500 firms, municipalities, other engineering firms, and the legal community. MUNDELL senior personnel have acted as project engineers and scientists, project managers, project directors, senior technical consultants, and expert witnesses for numerous earth and environmental projects throughout the United States, Canada, Mexico, Puerto Rico, South America, Europe and Asia.

The company's specialties include: the quantitative stratigraphic, geochemical, geophysical and hydrogeological characterization of the subsurface; quantitative analysis and engineering design of remediation systems; groundwater modeling and contaminant transport analysis, and environmental and engineering geophysics. Apply to John A. Mundell, President, Mundell & Associates, Inc., 110 South Downey Avenue, Indianapolis, Indiana 46219. Phone: 317-630-9060, Fax: 317-630-9065, jmundell@MundellAssociates.com. Send resume by email in Word or PDF format.

WHAT WE BELIEVE IN?

MUNDELL personnel believe that the proper scientific or engineering analysis of any site, communicated in easily understandable terms, will provide its clients with the guidance and direction they need to accomplish their goals. We believe that our pleasant demeanor, our comfortable dress, our high level of enjoyment in what we do and how we do it, and our passion for providing a high quality product creates an atmosphere in our work environment that is attractive to those seeking employment.

FOR MORE ABOUT US?

Try our current website at <http://www.MundellAssociates.com>.

Discover the advantage of NMR...


- directly detect groundwater •
- quantify water content • estimate permeability •

...from the surface



GMR

Advanced multi-channel surface NMR for non-invasive aquifer characterization




...or downhole



Javelin

The world's first microhole NMR logging system for near-surface investigations



Sales Rentals
& Services


www.vista-clara.com




VISTACLARA INC.
21ST CENTURY GEOPHYSICS

12201 Cyrus Way Ste. 104, Mukilteo, WA, USA, 98275
+1 (425) 493-8122 info@vista-clara.com


SEG-AGU Hydrogeophysics Workshop



BOISE, IDAHO USA 8-11 JULY 2012



Society of Exploration Geophysicists
The international society of applied geophysics



AGU
American Geophysical Union

- Rentals
- Sales
- Tech support
- Training
- Repair
- Data

We offer complete imaging systems to perform remote monitoring, VES, Archelological, Geotechnical, Geophysical, Geological and Mining surveys.

Our products: SuperSting™ and MiniSting™ resistivity instruments, EarthImager™ 1D, 2D, 3D and 4D inversion modeling software.




EUROPEAN OFFICE:

Advanced Geosciences Europe, S.L.
Calle del Siroco 32,
28042 Madrid, Spain
Teléfono: +34 913 056 477
Fax: +34 911 311 783
Email: age@agiusa.com
Web: www.agiusa.com



MAIN OFFICE:

Advanced Geosciences, Inc.
2121 Geoscience Dr.
Austin, Texas 78726 USA
Tel: +1 512 335 3338
Fax: +1 512 258 9958
Email: agi@agiusa.com
Web: www.agiusa.com



K.D. Jones
Instrument Corporation

Geophysical Equipment Rentals

**Geonics EM38-Mk2
With GPS**



**Geometrics
Geode G-24
and seismic
accessories.**



Geophysical Instruments

- **Electromagnetic Instruments**
- **Global Positioning Systems**
- **Ground Penetrating Radar**
- Magnetometers
- **Pipe and Cable Locators**
- **Seismographs & Accessories**
- **Resistivity/IP**
- **Software**

K. D. Jones Instrument Corporation
2930 Burns Lane
Normangee, TX 77871
888-396-9291

More information on applications and instruments available on our web site
www.kdjonesinstruments.com

**Sensors & Software
Noggin Smart Systems
250Mhz, 500Mhz, &
1000Mhz sensors**



Super Sting R8/IP





KSEG

KSEG International Symposium on “Geophysics for Discovery and Exploration”

Fostering International Collaborations in Geophysics

September 19 - 21, 2012
ICC, Jeju Island, Republic of Korea



Dear Colleagues;

We are very pleased to announce that the Korean Society of Earth and Exploration Geophysicists (KSEG) is organizing an “International Symposium on Geophysics for Discovery and Exploration” to be held at the International Convention Center (ICC) of Jeju Island, Korea on September 19 - 21, 2012.

Through sponsorship of this International Symposium, the KSEG intends to foster international collaborations in pure and applied geophysics between our members and our colleagues in other geophysical societies around the world.

For additional details and a preliminary program of the symposium, please visit our website: <http://2012symp.seg.or.kr/>.

Abstract submission: April 1 through June 30, 2012.

On-line registration deadline: August 15 (Wednesday), 2012.

The correspondent author should pre-register before July 31 (Tuesday), 2012.

We are looking forward to your participation.

Convener:

Dr. Mutaek Lim

Vice President of Korean Society of Earth and Exploration Geophysicists

phone: +82-42-868-3157, e-mail: limmt@kigam.re.kr

Coordinators:

Dr. In-ky Cho (Program Committee) : +82-33-250-8585, choik@kangwon.ac.kr

Dr. Chan Hong Park (Financial Committee) : +82-54-780-5210, chpark@kordi.re.kr

Dr. Jong-kuk Hong (Secretariat) : +82-32-260-6213, jkhong@kopri.re.kr






Zonge Engineering and Research Organization, Inc.

*Celebrating 35 Years of Geophysical
Services & Instrument Sales Worldwide*

**State-of-the-Art
Instrumentation Sales
and Lease**

CP

Bedrock Mapping with 3D Seismic




Consulting

- ♦ Survey Design
- ♦ Data Processing
- ♦ 2D & 3D Imaging & Modeling
- ♦ Interpretation Software

Applications

- ♦ Mineral Exploration
- ♦ Sinkholes and Cavity Detection
- ♦ Landslide Delineation
- ♦ Soil & Rock Characterization
- ♦ Aquifer Characterization
- ♦ Structure Mapping
- ♦ Groundwater Basin Mapping
- ♦ Archeological Investigations
- ♦ Contaminant Tracking
- ♦ Time-lapse Monitoring
- ♦ UXO/MEC Detection

Landfill Mapping with IP




Field Surveys

- ♦ Resistivity, IP, CR
- ♦ 2D & 3D Seismic
- ♦ TDEM & FDEM
- ♦ CSAMT & NSAMT
- ♦ Gravity and Magnetics
- ♦ Ground Penetrating Radar

Complete Line of EM Sensors, Electrical/EM Receivers, 3-30kW Transmitters, Power Generators and Customized Instrumentation

ZETA™ - Zonge
Electrical Tomography Acquisition System



Void Mapping with ZETA™

"geophysical results through continuous innovation"

Contact Zonge at 1-800-GEOPHYSICS or any of our Regional Offices

ARIZONA (Corporate)
3322 East Fort Lowell Road
Tucson, AZ 85716
520.327.5501
zonge@zonge.com

NEVADA
924 Greg Street
Sparks, NV 889431
775.355.7707
zonge@zongenev.com

COLORADO
1990 S. Garrison St., #2
Lakewood, CO 80227
720.962.4444
zongecolorado@zonge.com

ALASKA
37029 Denise Lake Drive
Soldotna, AK 99669
907.262.5072
zonge@alaska.net

MINNESOTA
4700 West 77th Street
Minneapolis, MN 55435
952.832.2616
zongemin@zonge.com

Seismic Accessories



**Land Streamers—for efficient
seismic surveys**




**Rollalong Switches
24, 48 & 96 channel**

**Wall-Lock
Borehole
Geophones**

Geostuff

http://www.geostuff.com
Tel 530-274-4445, fax 530-274-4446

PEG-40 Portable Energy Source



**5,000+ Ft. Pounds
3 Sec. Cycle Rate
12 Volt Operation
Manual & Continuous**

www.rtclark.com tele: 405-751-9696
e-mail: rtclark@rtclark.com



FastTIMES presents articles about commercial products for use in near geophysics investigations. Corporate sponsors are invited to send the editors descriptions of new products for possible inclusion in future issues.

THE MOLE: GAMMA RAY SOIL SENSOR

The Mole

The Mole is a gamma ray sensor designed for mapping soil. It consists of a sensor, a standard spectrum and Mole Data Logging software.



Sensor

- ✓ Gamma ray detector with CsI crystal.
- ✓ Multi Channel Analyser with USB connection.
- ✓ Robust stainless steel and aluminium housing.




Standard spectrum

- ✓ Unique calibrated standard spectrum for each detector.
- ✓ Base for Full Spectrum Analysis.
- ✓ Swift and high quality conversion of sensor data into concentrations of individual radio active trace elements (^{40}K , ^{238}U , ^{232}Th , ^{137}Cs and Total Counts).



MDL

- ✓ Data Logging software for gamma ray sensors in combination with any GPS, including RTK.
- ✓ Runs on Windows XP and Vista.
- ✓ Tab based menu, easy access to all functions.
- ✓ Wizard based menus for startup procedure.
- ✓ Automatic data control functions for GPS en gamma ray data.
- ✓ Direct view of logged data, suitable for locating sample spots and logging sample data.
- ✓ Possibility of logging GPS based points and areas.




The Soil Company

Leonard Springerlaan 9, 9727 KB
Groningen, The Netherlands
+31 50 5773240, www.soilcompany.com

Interpex Software


IX1D version 3

available with or without TEM option
1D Sounding Interpretation with profile support
DC, IP, MT, FEM, EM Conductivity (TEM optional)



IXRefraX

Simply the fastest and best Seismic Refraction
Processing and Interpretation Software using
the Generalized Reciprocal Method



P.O. Box 839
Golden CO 80402

Tel (303) 278 9124
Fax (303) 278 4007


www.interpex.com
info@interpex.com



**The
R.T. Clark
Companies Inc.**

Seismographs
GPR
Geophones
Mags
Cables
Resistivity
Loggers
EM & More!!!

Web: rtclark.com Email: rtclark@rtclark.com
Tele: 405-751-9696 Fax: 405-751-6711
P.O.Box 20957, Oklahoma City, Oklahoma 73157 USA



Membership Renewal

1720 South Bellaire Street | Suite 110 | Denver, CO 80222-4303
(p) 011.1.303.531.7517 | (f) 011.1.303.820.3844 | staff@eegs.org | www.eegs.org

CONTACT INFORMATION

SALUTATION	FIRST NAME	MIDDLE INITIAL	LAST NAME	NICKNAME
COMPANY/ORGANIZATION		TITLE		
STREET ADDRESS		CITY & STATE	ZIP	COUNTRY
DIRECT PHONE		MOBILE PHONE	FAX	
EMAIL		WEBSITE		

ABOUT ME: INTERESTS & EXPERTISE

IN ORDER TO IDENTIFY YOUR AREAS OF SPECIFIC INTEREST AND EXPERTISE, PLEASE CHECK THOSE THAT APPLY:

CLASSIFY ASSOCIATION

- | | | |
|---|---|--|
| <input type="checkbox"/> CONSULTANT | <input type="checkbox"/> GEOPHYSICAL CONTRACTOR | <input type="checkbox"/> RESEARCH/ACADEMIA |
| <input type="checkbox"/> USER OF GEOPHYSICAL SERVICES | <input type="checkbox"/> EQUIPMENT MANUFACTURER | <input type="checkbox"/> GOVERNMENT AGENCY |
| <input type="checkbox"/> STUDENT | <input type="checkbox"/> SOFTWARE MANUFACTURER | <input type="checkbox"/> OTHER _____ |

CLASSIFY INTEREST OR FOCUS

- | | | | |
|--|--|--|--|
| <input type="checkbox"/> ARCHAEOLOGY | <input type="checkbox"/> GEOTECHNICAL | <input type="checkbox"/> HAZARDOUS WASTE | <input type="checkbox"/> SHALLOW OIL & GAS |
| <input type="checkbox"/> ENGINEERING | <input type="checkbox"/> GEOTECHNICAL INFRASTRUCTURE | <input type="checkbox"/> HUMANITARIAN GEOPHYSICS | <input type="checkbox"/> UXO |
| <input type="checkbox"/> ENVIRONMENTAL | <input type="checkbox"/> GROUNDWATER | <input type="checkbox"/> MINING | <input type="checkbox"/> OTHER _____ |

SPECIFIC AREAS INVOLVED

- | | | | |
|---|---|---|--------------------------------------|
| <input type="checkbox"/> BOREHOLE GEOPHYSICAL LOGGING | <input type="checkbox"/> ELECTROMAGNETICS | <input type="checkbox"/> GROUND PENETRATING RADAR | <input type="checkbox"/> SEISMIC |
| <input type="checkbox"/> ELECTRICAL METHODS | <input type="checkbox"/> GRAVITY | <input type="checkbox"/> MAGNETICS | <input type="checkbox"/> OTHER _____ |

PROFESSIONAL/SCIENTIFIC SOCIETIES

- | | | | | | |
|-------------------------------|-------------------------------|---------------------------------------|-------------------------------|--------------------------------|--------------------------------------|
| <input type="checkbox"/> AAPG | <input type="checkbox"/> AWWA | <input type="checkbox"/> EER1 | <input type="checkbox"/> MGLS | <input type="checkbox"/> SEG | <input type="checkbox"/> OTHER _____ |
| <input type="checkbox"/> AEG | <input type="checkbox"/> AGU | <input type="checkbox"/> GEOINSTITUTE | <input type="checkbox"/> NGWA | <input type="checkbox"/> SSA | |
| <input type="checkbox"/> ASCE | <input type="checkbox"/> EAGE | <input type="checkbox"/> GSA | <input type="checkbox"/> NSG | <input type="checkbox"/> SPWLA | |

INTERESTED IN PARTICIPATING ON STANDING COMMITTEES?

- | | | | |
|---|---------------------------------------|--|----------------------------------|
| <input type="checkbox"/> GOVERNMENT AFFAIRS | <input type="checkbox"/> PUBLICATIONS | <input type="checkbox"/> CORPORATE AFFAIRS | <input type="checkbox"/> STUDENT |
| <input type="checkbox"/> RESEARCH | <input type="checkbox"/> AWARDS | <input type="checkbox"/> WEB PAGE | |



MEMBERSHIP CATEGORIES

CIRCLE THE DESIRED MEMBERSHIP CATEGORY AMOUNT.

	STANDARD (I PREFER TO ACCESS JEEG ONLINE AND DO NOT WISH TO RECEIVE A PRINTED ISSUE)	PRINTED (I PREFER TO RECEIVE A PRINTED JEEG)
INDIVIDUAL*	\$90	\$100
NEW RETIRED	\$50	N/A
STUDENT	\$20	\$60
CORPORATE DONOR	\$650	\$660
CORPORATE ASSOCIATE	\$2,400	\$2,410
CORPORATE BENEFACTOR	\$4,000	\$4,010
TO VIEW THE QUALIFICATION FOR THE NEW DEVELOPING WORLD CATEGORIES, PLEASE ACCESS HTTP://WWW.EEGS.ORG AND CLICK ON MEMBERSHIP	STANDARD (I PREFER TO ACCESS JEEG ONLINE AND DO NOT WISH TO RECEIVE A PRINTED ISSUE)	PRINTED (I PREFER TO RECEIVE A PRINTED JEEG)
NEW DEVELOPING WORLD CATEGORY*	\$50	\$100

CATEGORY DESCRIPTIONS AND NEWLY EXPANDED BENEFITS

INDIVIDUAL AND DEVELOPING WORLD CATEGORY MEMBERSHIPS:

- Access to the **online EEGS Research Collection** resource—online access to the complete *Journal of Environmental and Engineering Geophysics (JEEG)* and proceedings archives of the Symposium on the Application of Geophysics to Engineering and Environmental Problems (SAGEEP)
- The option of receiving a printed *JEEG* or accessing an electronic issue
- Subscription to the **FastTIMES** Newsletter
- **Preferential** registration **fees** for **SAGEEP**
- **Networking** and continued **communication** on issues of interest to the organization

RETIRED MEMBERSHIP:

- Includes all the benefits of the Individual Membership category. Applicants must approved by the EEGS Board of Directors. Please submit a written request for the Retired Category, which will be reviewed by the Board of Directors.

Note: This category does not include the option for a printed JEEG - if you wish to receive a printed JEEG, please sign up under Individual Membership Printed

STUDENT MEMBERSHIP:

- Includes all the benefits of the Individual Membership category
- Submission must include current student ID or documentation of graduation date (applies to recent graduates for two years after graduation)

CORPORATE DONOR MEMBERSHIP:

- Includes all the benefits of the Individual Membership
- Full conference registration for the Symposium on the Application of Geophysics to Engineering and Environmental Problems (SAGEEP)
- A link on the EEGS Website
- Listing with corporate information in *FastTIMES*
- 10% discount on advertising in the *JEEG* and *FastTIMES*

CORPORATE ASSOCIATE MEMBERSHIP:

- Includes all the benefits of the Individual Membership for two (2) people
- An exhibit booth at the Symposium on the Application of Geophysics to Engineering and Environmental Problems (SAGEEP)
- Ability to insert marketing materials in the SAGEEP delegate packets
- A link on the EEGS website
- Listing with corporate information in *FastTIMES*
- 10% discount on advertising in the *JEEG* and *FastTIMES*

CORPORATE BENEFACTOR MEMBERSHIP:

- Includes all the benefits of Individual membership in EEGS for two (2) people
- Two exhibit booths at the Symposium on the Applications of Geophysics to Engineering and Environmental Problems (SAGEEP)
- Ability to insert marketing materials in the SAGEEP delegate packets
- A link on the EEGS website
- Listing with corporate information in *FastTIMES*
- 10% discount on advertising in the *JEEG* and *FastTIMES*



FOUNDATION CONTRIBUTIONS

FOUNDERS FUND

THE FOUNDERS FUND HAS BEEN ESTABLISHED TO SUPPORT COSTS ASSOCIATED WITH THE ESTABLISHMENT AND MAINTENANCE OF THE EEGS FOUNDATION AS WE SOLICIT SUPPORT FROM LARGER SPONSORS. THESE WILL SUPPORT BUSINESS OFFICE EXPENSES, NECESSARY TRAVEL, AND SIMILAR EXPENSES. IT IS EXPECTED THAT THE OPERATING CAPITAL FOR THE FOUNDATION WILL EVENTUALLY BE DERIVED FROM OUTSIDE SOURCES, BUT THE FOUNDER'S FUND WILL PROVIDE AN OPERATION BUDGET TO "JUMP START" THE WORK. DONATIONS OF \$50.00 OR MORE ARE GREATLY APPRECIATED. FOR ADDITIONAL INFORMATION ABOUT THE EEGS FOUNDATION (AN IRS STATUS 501 (c)(3) TAX EXEMPT PUBLIC CHARITY), VISIT THE WEBSITE [HTTP://WWW.EEGS.ORG](http://www.eegs.org) AND CLICK ON MEMBERSHIP, THEN "FOUNDATION INFORMATION". YOU MAY ALSO ACCESS THE EEGS FOUNDATION AT [HTTP://WWW.EEGSFUNDATION.ORG](http://www.eegsfoundation.org).

FOUNDATION FUND TOTAL: _____

STUDENT SUPPORT ENDOWMENT

THIS ENDOWED FUND WILL BE USED TO SUPPORT TRAVEL AND REDUCED MEMBERSHIP FEES SO THAT WE CAN ATTRACT GREATER INVOLVEMENT FROM OUR STUDENT MEMBERS. STUDENT MEMBERS ARE THE LIFEBLOOD OF OUR SOCIETY, AND OUR SUPPORT CAN LEAD TO A LIFETIME OF INVOLVEMENT AND LEADERSHIP IN THE NEAR SURFACE GEOPHYSICS COMMUNITY. DONATIONS OF \$50.00 OR MORE ARE GREATLY APPRECIATED. FOR ADDITIONAL INFORMATION ABOUT THE EEGS FOUNDATION (A TAX EXEMPT PUBLIC CHARITY), VISIT OUR WEBSITE AT [WWW.EEGS.ORG](http://www.eegs.org) AND CLICK ON MEMBERSHIP, THEN "FOUNDATION INFORMATION". YOU MAY ALSO ACCESS THE EEGS FOUNDATION AT [HTTP://WWW.EEGSFUNDATION.ORG](http://www.eegsfoundation.org).

STUDENT SUPPORT ENDOWMENT TOTAL: _____

CORPORATE CONTRIBUTIONS

THE EEGS FOUNDATION IS DESIGNED TO SOLICIT SUPPORT FROM INDIVIDUALS AND CORPORATE ENTITIES THAT ARE NOT CURRENTLY CORPORATE MEMBERS (AS LISTED ABOVE). WE RECOGNIZE THAT MOST OF OUR CORPORATE MEMBERS ARE SMALL BUSINESSES WITH LIMITED RESOURCES, AND THAT THEIR CONTRIBUTIONS TO PROFESSIONAL SOCIETIES ARE DISTRIBUTED AMONG SEVERAL ORGANIZATIONS. THE CORPORATE FOUNDER'S FUND HAS BEEN DEVELOPED TO ALLOW OUR CORPORATE MEMBERS TO SUPPORT THE ESTABLISHMENT OF THE FOUNDATION AS WE SOLICIT SUPPORT FROM NEW CONTRIBUTORS. AS SUCH, CORPORATE FOUNDERS RECEIVED SPECIAL RECOGNITION FOR DONATIONS EXCEEDING \$2500 MADE BEFORE MAY 31, 2010. THESE SPONSORS WILL BE ACKNOWLEDGED IN A FORM THAT MAY BE POSTED AT THEIR SAGEEP BOOTH FOR YEARS TO COME, SO THAT INDIVIDUAL MEMBERS CAN EXPRESS THEIR GRATITUDE FOR THE SUPPORT.

CORPORATE CONTRIBUTION TOTAL: \$ _____

FOUNDATION TOTAL: \$ _____

PAYMENT INFORMATION

SUBTOTALS:

MEMBERSHIP: \$ _____

FOUNDATION CONTRIBUTIONS: \$ _____

GRAND TOTAL: \$ _____

☐ CHECK/MONEY ORDER

☐ VISA

☐ MASTERCARD

☐ AMEX

☐ DISCOVER

CARD NUMBER

EXP. DATE

NAME ON CARD

SIGNATURE

MAKE YOUR CHECK OR MONEY ORDER IN **US DOLLARS** PAYABLE TO: EEGS. CHECKS FROM CANADIAN BANK ACCOUNTS MUST BE DRAWN ON BANKS WITH US AFFILIATIONS (EXAMPLE: CHECKS FROM CANADIAN CREDIT SUISSE BANKS ARE PAYABLE THROUGH CREDIT SUISSE NEW YORK, USA). **CHECKS MUST BE DRAWN ON US BANKS.**

PAYMENTS ARE NOT TAX DEDUCTIBLE AS CHARITABLE CONTRIBUTIONS ALTHOUGH THEY MAY BE DEDUCTIBLE AS A BUSINESS EXPENSE. CONSULT YOUR TAX ADVISOR.

RETURN THIS FORM WITH PAYMENT TO: EEGS, 1720 SOUTH BELLAIRE STREET, SUITE 110, DENVER, CO 80222 USA

CREDIT CARD PAYMENTS CAN BE FAXED TO EEGS AT 011.1.303.820.3844

CORPORATE DUES PAYMENTS, ONCE PAID, ARE NON-REFUNDABLE. INDIVIDUAL DUES ARE NON-REFUNDABLE EXCEPT IN CASES OF EXTREME HARDSHIP AND WITH REFUND.





Membership Renewal Developing World Category Qualification

If you reside in one of the countries listed below, you are eligible for EEGS's Developing World membership category rate of \$50.00 (or \$100.00 if you would like the printed, quarterly *Journal of Environmental & Engineering Geophysics* mailed to you—to receive a printed *JEEG* as a benefit of membership, select the Developing World Printed membership category on the membership application form):

Afghanistan
Albania
Algeria
Angola
Armenia
Azerbaijan
Bangladesh
Belize
Benin
Bhutan
Bolivia
Burkina Faso
Burundi
Cambodia
Cameroon
Cape Verde
Central African Republic
Chad
China
Comoros
Congo, Dem. Rep.
Congo, Rep.
Djibouti
Ecuador
Egypt
El Salvador
Eritrea
Ethiopia
Gambia
Georgia
Ghana
Guatemala
Guinea

Guinea-Bissau
Guyana
Haiti
Honduras
India
Indonesia
Iran
Iraq
Ivory Coast
Jordan
Kenya
Kiribati
Kosovo
Kyrgyz Republic
Lao PDR
Lesotho
Liberia
Madagascar
Malawi
Maldives
Mali
Marshall Islands
Mauritania
Micronesia
Moldova
Mongolia
Morocco
Mozambique
Myanmar
Nepal
Nicaragua
Niger
Nigeria
North Korea

Pakistan
Papua New Guinea
Paraguay
Philippines
Rwanda
Samoa
Sao Tome and Principe
Senegal
Sierra Leone
Solomon Islands
Somalia
Sri Lanka
Sudan
Suriname
Swaziland
Syria
Taiwan
Tajikistan
Tanzania
Thailand
Timor-Leste
Togo
Tonga
Tunisia
Turkmenistan
Uganda
Ukraine
Uzbekistan
Vanuatu
Vietnam
West Bank and Gaza
Yemen
Zambia
Zimbabwe



EEGS Corporate Members

Corporate Benefactor

Your Company Here!

Geostuff / Wireless Seismic Inc.
www.geostuff.com

Geomatrix Earth Science Ltd.
www.geomatrix.co.uk

Corporate Partner

Your Company Here!

GISCO
www.giscogeo.com

Intelligent Resources, Inc.
www.rayfract.com

hydroGEOPHYSICS, Inc.
www.hydrogeophysics.com

Northwest Geophysics
www.northwestgeophysics.com

Corporate Associate

ABEM Instrument AB
www.abem.com

Interpex Ltd.
www.interpex.com

Spotlight Geophysical Services
www.spotlightgeo.com

Advanced Geosciences, Inc.
www.agiusa.com

MALA GeoScience
www.malags.com

Allied Associates Geophysical Ltd.
www.allied-associates.co.uk

Mount Sopris Instruments
www.mountsopris.com

Exploration Instruments LLC
www.expins.com

R. T. Clark Co. Inc.
www.rtclarck.com

Foerster Instruments Inc.
www.foerstergroup.com

Scintrex
www.scintrexltd.com

GEM Advanced Magnetometers
www.gemsys.ca

Sensors & Software, Inc.
www.sensoft.ca

Geogiga Technology Corporation
www.geogiga.com

USGS
www.usgs.gov

Geomar Software Inc.
www.geomar.com

Zonge Engineering & Research
Org., Inc.
www.zonge.com

Geometrics, Inc.
www.geometrics.com

Zonge Geosciences
www.zonge.com

Geonics Ltd.
www.geonics.com

Corporate Donor

Geophysical Survey Systems, Inc.
www.geophysical.com

Fugro Airborne Surveys
www.fugroairborne.com





**Environmental
and Engineering
Geophysical Society**

2012 Publications Order Form

ALL ORDERS ARE PREPAY

1720 S. Bellaire Street, Suite 110
Denver, CO 80222-4303
Phone: 303.531.7517; Fax: 303.820.3844
E-mail: staff@eeqs.org; Web Site: www.eeqs.org

Sold To:
Name: _____
Company: _____
Address: _____
City/State/Zip: _____
Country: _____ Phone: _____
E-mail: _____ Fax: _____

Ship To (If different from "Sold To"):
Name: _____
Company: _____
Address: _____
City/State/Zip: _____
Country: _____ Phone: _____
E-mail: _____ Fax: _____

Instructions: Please complete both pages of this order form and fax or mail the form to the EEGS office listed above. Payment must accompany the form or materials will not be shipped. Faxing a copy of a check does not constitute payment and the order will be held until payment is received. Purchase orders will be held until payment is received. If you have questions regarding any of the items, please contact the EEGS Office. Thank you for your order!

SAGEEP PROCEEDINGS

Member/Non-Member

0029	2010 (CD-ROM) **NEW**	\$75	\$100
0026	2009 (CD-ROM)	\$75	\$100
0025	2008 (CD-ROM)	\$75	\$100
0023	2007 (CD-ROM)	\$75	\$100
0020	2006 (CD-ROM)	\$75	\$100
0018	2005 (CD-ROM)	\$75	\$100

0016	2004 (CD-ROM)	\$75	\$100
0015	2003 (CD-ROM)	\$75	\$100
0014	2002 (CD-ROM)	\$75	\$100
0013	2001 (CD-ROM)	\$75	\$100
0012	1988-2000 (CD-ROM)	\$150	\$225
SUBTOTAL—PROCEEDINGS ORDERED:			

SAGEEP Short Course Handbooks

0027	Principles and Applications of Seismic Refraction Tomography (Printed Course Notes & CD-ROM) - William Doll	\$125	\$150
0028	Principles and Applications of Seismic Refraction Tomography (CD-ROM including PDF format Course Notes) - William Doll	\$70	\$90
0007	2002 - UXO 101 - An Introduction to Unexploded Ordnance - (Dwain Butler, Roger Young, William Veith)	\$15	\$25
0009	2001 - Applications of Geophysics in Geotechnical and Environmental Engineering (HANDBOOK ONLY) - John Greenhouse	\$25	\$35
0011	2001 - Applications of Geophysics in Environmental Investigations (CD-ROM ONLY) - John Greenhouse	\$80	\$105
0010	2001- Applications of Geophysics in Geotechnical and Environmental Engineering (HANDBOOK) & Applications of Geophysics in Environmental Investigations (CD-ROM) - John Greenhouse	\$100	\$125
0004	1998 - Global Positioning System (GPS): Theory and Practice - John D. Bossler & Dorota A. Brzezinska	\$10	\$15
0003	1998 - Introduction to Environmental & Engineering Geophysics - Roelof Versteeg	\$10	\$15
0002	1998 - Near Surface Seismology - Don Steeples	\$10	\$15
0001	1998 - Nondestructive Testing (NDT) - Larry Olson	\$10	\$15
0005	1997 - An Introduction to Near-Surface and Environmental Geophysical Methods and Applications - Roelof Versteeg	\$10	\$15
0006	1996 - Introduction to Geophysical Techniques and their Applications for Engineers and Project Managers - Richard Benson & Lynn Yuhr	\$10	\$15

Miscellaneous Items

0021	Geophysics Applied to Contaminant Studies: Papers Presented at SAGEEP from 1988-2006 (CD-ROM)	\$50	\$75
0022	Application of Geophysical Methods to Engineering and Environmental Problems - Produced by SEGJ	\$35	\$45
0019	Near Surface Geophysics - 2005 Dwain K. Butler, Ed.; Hardcover <i>Special student rate - 71.20</i>	\$89	\$139
0024	Ultimate Periodic Chart - Produced by Mineral Information Institute	\$20	\$25
0008	MATLAB Made Easy - Limited Availability	\$70	\$95
	EEGS T-shirt (X-Large) Please circle: white/gray	\$10	\$10
	EEGS Lapel Pin	\$3	\$3
SUBTOTAL—SHORT COURSE/MISC. ORDERED ITEMS:			



Publications Order Form (Page Two)

Journal of Environmental and Engineering Geophysics (JEEG) Back Issue Order Information:**Member Rate: \$15****Non-Member Rate: \$25**

Qt.	Year	Issue	Qt.	Year	Issue	Qt.	Year	Issue
	1995			2001			2006	
		JEEG 0/1 - July			JEEG 6/1 - March			JEEG 11/1 - March
	1996				JEEG 6/3 - September			JEEG 11/2 - June
		JEEG 0/2 - January			JEEG 6/4 - December			JEEG 11/3 - September
		JEEG 1/1 - April		2003				JEEG 11/4 - December
		JEEG 1/2 - August			JEEG 8/1 - March		2007	
		JEEG 1/3 - December			JEEG 8/2 - June			JEEG 12/1 - March
	1998				JEEG 8/3 - September			JEEG 12/2 - June
		JEEG 3/2 - June			JEEG 8/4 - December			JEEG 12/3 - September
		JEEG 3/3 - September		2004				JEEG 12/4 - December
		JEEG 3/4 - December			JEEG 9/1 - March		2008	
	1999				JEEG 9/2 - June			JEEG 13/1 - March
		JEEG 4/1 - March			JEEG 9/3 - September			JEEG 13/2 - June
		JEEG 4/2 - June			JEEG 9/4 - December			JEEG 13/3 - September
		JEEG 4/3 - September		2005				JEEG 13/4 - December
		JEEG 4/4 - December			JEEG 10/1 - March		2009	
	2000				JEEG 10/2 - June			JEEG 14/1 - March
		JEEG 5/3 - September			JEEG 10/3 - September			JEEG 14/2 - Available June
		JEEG 5/4 - December			JEEG 10/4 - December			JEEG 14/3 - Available September
								JEEG 14/4 - Available December

SUBTOTAL—JEEG ISSUES ORDERED


SUBTOTAL - SAGEEP PROCEEDINGS ORDERED	
SUBTOTAL - SHORT COURSE / MISCELLANEOUS ITEMS ORDERED	
SUBTOTAL - JEEG ISSUES ORDERED	
CITY SALES TAX (If order will be delivered in the City of Denver—add an additional 3.5%)	
STATE SALES TAX (If order will be delivered in Colorado—add an additional 3.7%)	
SHIPPING & HANDLING (US—\$10; Canada/Mexico—\$20; All other countries: \$45)	
GRAND TOTAL:	

Order Return Policy: Returns for credit must be accompanied by invoice or invoice information (invoice number, date, and purchase price). Materials must be in saleable condition. Out-of-print titles are not accepted 180 days after order. No returns will be accepted for credit that were not purchased directly from EEGS. Return shipment costs will be borne by the shipper. Returned orders carry a 10% restocking fee to cover administrative costs unless waived by EEGS.

Payment Information:
☐ Check #: _____ (Payable to EEGS)

☐ Purchase Order: _____
 (Shipment will be made upon receipt of payment.)

☐ Visa ☐ MasterCard ☐ AMEX ☐ Discover

1720 S. Bellaire Street, Suite 110
 Denver, CO 80222-4303
 Phone: 303.531.7517
 Fax: 303.820.3844
 E-mail: staff@eegs.org
 Web Site: www.eegs.org

2012 Merchandise Order Form

ALL ORDERS ARE PREPAY

Sold To:

Name: _____
 Company: _____
 Address: _____
 City/State/Zip: _____
 Country: _____ Phone: _____
 E-mail: _____ Fax: _____

Ship To (If different from "Sold To"):

Name: _____
 Company: _____
 Address: _____
 City/State/Zip: _____
 Country: _____ Phone: _____
 E-mail: _____ Fax: _____

Instructions: Please complete this order form and fax or mail the form to the EEGS office listed above. Payment must accompany the form or materials will not be shipped. Faxing a copy of a check does not constitute payment and the order will be held until payment is received. Purchase orders will be held until payment is received. If you have questions regarding any of the items, please contact the EEGS Office. Thank you for your order!

Merchandise Order Information:

ITEM DESCRIPTION	QTY	T-SHIRT COLOR WHITE/GRAY	MEMBER RATE	NON- MEMBER RATE	TOTAL
EEGS Mug			\$10	\$10	Sold Out
T-shirt (Medium)			\$10	\$10	Sold Out
T-shirt (Large)			\$10	\$10	Sold Out
T-shirt (X-Large)			\$10	\$10	
T-shirt (XX-Large)			\$10	\$10	Sold Out
EEGS Lapel Pin			\$3	\$3	
SUBTOTAL – MERCHANDISE ORDERED:					

TOTAL ORDER:

SUBTOTAL – Merchandise Ordered:	
STATE SALES TAX: (If order will be delivered in Colorado – add 3.7000%):	
CITY SALES TAX: (If order will be delivered in the City of Denver – add an additional 3.5000%):	
SHIPPING AND HANDLING (US - \$7; Canada/Mexico - \$15; All other countries - \$40):	
GRAND TOTAL:	

Payment Information:

☐ Check #: _____ (Payable to EEGS)

☐ Purchase Order: _____
 (Shipment will be made upon receipt of payment.)

☐ Visa ☐ MasterCard ☐ AMEX ☐ Discover

Card Number: _____

Cardholder Name (Print): _____

Exp. Date: _____

Signature: _____

Three easy ways to order:

Fax to: 303.820.3844

Internet: www.eegs.org

Mail to: EEGS
 1720 S. Bellaire St., #110
 Denver, CO 80222-4303

THANK YOU FOR YOUR ORDER!

Order Return Policy: Returns for credit must be accompanied by invoice or invoice information (invoice number, date, and purchase price). Materials must be in saleable condition. Out-of-print titles are not accepted 180 days after order. No returns for credit will be accepted which were not purchased directly from EEGS. Return shipment costs will be borne by the shipper. Returned orders carry a 10% restocking fee to cover administrative costs unless waived by

